

# SCIENTIFIC AMERICAN

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. XXVII.—No. 26.  
[NEW SERIES.]

NEW YORK, DECEMBER 28, 1872.

[\$3 per Annum,  
IN ADVANCE.]

## THE BROOKLYN PIER OF THE EAST RIVER BRIDGE.

On either bank of the East River, two great piles of masonry are slowly rising. One, towering far above all surrounding buildings, stands out in bold relief on the Brooklyn shore; the other, at the present time, scarcely half as high, faces its gigantic mate from across the stream. A river 1,020 feet wide separates these monster structures, between which, in due time, will be extended the graceful fabric of the great suspension bridge.

Our illustration will convey an excellent idea of the Brooklyn or eastern pier, as seen from the wharf of the Fulton ferry. Its total elevation is 144 feet above the water. The three walls on the summit are at present 26 feet in height, and after being extended upward some 50 feet additional, they will be arched over, thus forming two grand portals leading to the floor of the bridge. The structure consists of three piers, united by connecting walls ten feet in thickness, thus leaving two wells, each thirty-three by twenty feet in dimensions.

The stone used in the construction is brought in schooners from various localities in Maine, and disembarked at Red Hook, N. J. Thence it is transported to the piers in scows, one of which is shown in the foreground of our engraving. On the Brooklyn pier, 83 courses have thus far been laid; the New York tower numbers but 52, one entire course having been recently lost by the sinking of the vessel of which it formed the cargo. The blocks, some of which weigh as much as eight tons, having been brought alongside the wharf, are hoisted by derricks on to cars which travel on rails laid in various directions around the foot of the pier. Each stone is then wheeled around to the back of the tower and made ready to be elevated to the top when required. The hoisting is done by powerful engines which, with their boilers, are located at some distance to the rear of the structure.

Situated in the middle spaces between the piers and projecting over the summit, are two heavy iron pulleys, in line with which, and extending down along the masonry, are strong timbers, to take the chafe of the stone as it ascends. Leading from a large drum on one of the hoisting engines, is a wire rope, which passes up over the left hand pulley, thence down to and under the ground, being led along by a number of sheaves, thence up again over the right hand pulley, and finally down to the second drum and engine. To both of the parts of this continuous rope, extending up and down the tower, are attached hooks which engage the Lewis bolts inserted in the stones. These hooks are fastened to the rope, so that one is descending while the other ascends; or, in other words, so that the elevation of one block overhauls down the line to which another block is to be attached. As each stone reaches

the top of the tower, it passes between the rails of a track laid on framework, lengthwise the summit, from right to left in the engraving. As it rises above this railway, a low car is shoved beneath it, when the stone is transported under one of the derricks shown in the illustration. The last mentioned appliances, of which there are two, are of wood, strongly made, and each is provided with a small double cylinder engine geared to a drum, which winds up the fall of the tackle. Steam is supplied in pipes led from the ground. The stone is raised from its carriage by one of these derricks, and, if belonging to either of the outer superstructures, it is at once placed in position. If it is destined for the middle

ascend in an angle of the wall, and succeeded in attaining the summit, though in a somewhat breathless condition. From the floor of the bridge, that is, between the superimposed smaller walls, the view is magnificent. The cities of New York and Brooklyn lie at one's feet, while the eye can reach far out into the Narrows, over to the hills of New Jersey, and up and down the length of the East River beneath. From the center of the span, when completed, a prospect will be afforded which, for grandeur, will have no rival in the world; but, in spite of such attraction, with the wind howling around one's ears and blowing with a force sufficient to render it dangerous approach to the edge, neither the top of the

Brooklyn pier nor the middle of the future bridge will, we imagine, be largely frequented by sight-seers in winter time. It is only necessary to pay a single visit to the breezy summit during the present weather to become fully convinced both of the above fact and also that the life of those who have to labor so far elevated skyward is not to be especially envied.


The solidity of the foundations has been thoroughly tested by the immense weight of these great towers, which, we are informed, have given no evidence of settling. The entire weight of the bridge will be 4,900 tons or, including that of snow, ice, etc., considered as transient, will amount to about 6,100 tons. Its breaking strain is 30,000 tons; that of each of the four main cables is 7,500 tons, or, at the angle at which they will support their load, about 10,000 tons. From the tower other cables extend to the floor of the bridge, so that taking into consideration their strength, with that of the four above mentioned, it is hardly probable that the structure will ever be loaded by a weight greater than one third its carrying capacity.

We shall, in all probability, have little to chronicle regarding this great engineering work until the return of spring. Title to the ground for the anchorages for the piers has not, as yet, been

secured by the Bridge Company, and the cold weather, together with the deficiency of stone, will doubtless prevent, for the present, further additions to the height of the towers.

## Wetting Coal for Heating Boilers.

M. Seidler, in the *Practische Maschinen-Construc-tion*, refutes the opinion, so generally prevailing, that wet coals burn better or produce more heat than dry ones. If the blacksmiths sprinkle their coal dust near the blast pipe with water, they merely do it to keep the top layer in shape. Wet coal burns as slowly as green wood, evidently from the fact that the water must evaporate before the fuel will burst out in flames. The author always obtained more steam by employing dry coal, and in a comparative trial, extending over a week, he saved fourteen tons of coal by not wetting it.



THE BROOKLYN PIER OF THE EAST RIVER BRIDGE.

wall, it is swung by a tackle from a car, actuated by hand mechanism and traveling on an elevated framework, and thus readily transported to the proper point.

At the time of writing, work upon the Brooklyn pier is nearly at a standstill; on the New York side it has entirely ceased. The cause, we learn, is the non-arrival of stone; though in any event not over two or three more courses could be laid on account of the increasing coldness of the weather. Labor upon the bridge generally is now, as it indeed always has been, no slight task. At first compelled to work in the dense atmosphere of the caissons, the men are now obliged to toil at a dizzy altitude, where, in inclement seasons, there is always a strong and bitterly cold breeze.

In order to inspect the progress of the work, we recently mounted some dozen or two staircases, built as a means of



# Scientific American.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT  
NO. 37 PARK ROW, NEW YORK.

O. D. MUNN.

A. E. BEACH.

## TERMS.

One copy, one year . . . . . \$3 00  
One copy, six months . . . . . 1 50  
CLUB RATES: Ten copies, one year, each \$2 50 25 00  
Over ten copies, same rate, each 2 50

TO BE HAD AT ALL THE NEWS DEPOTS.

VOL. XXVII., No. 26. [NEW SERIES.] Twenty-eighth Year

NEW YORK, SATURDAY, DECEMBER 28, 1872.

## Contents:

(Illustrated articles are marked with an asterisk.)

American inventions in Europe.....	401	Nelson, retirement of Judge.....	402
Aniline inks.....	404	*Oxygen, Mallet's method for.....	402
Answers to correspondents.....	406	Patent decisions of the courts.....	403
Astronomical phenomenon.....	406	Patent law, proposed change in the.....	400
Bees, facts concerning.....	406	Patent Office, condition of the.....	404
Business and personal.....	406	Patents, official list of.....	409
*Carburettor, gas.....	407	Patents, recent American and	409
Cold, taking.....	407	foreign.....	409
Centennial of 1876, the.....	407	*Pneumo-gastric nerves, the.....	404
Drying machine, centrifugal.....	408	*Railroad spike.....	407
East river bridge, the Brooklyn	408	*Safe protector, effectual.....	404
pier of the.....	408	Santonine, researches on.....	404
*Electricity, Professor Morion on.....	408	Science Record for 1872.....	401
Engines, man.....	408	Scientific and practical informa-	405
Fertilizers, chemical.....	409	tion.....	405
Fire at the Fifth Avenue hotel, the.....	409	Scientific study, value of.....	405
Fossils, discovery of new.....	409	Ships for the Pacific Mail Company,	404
Freezing of water, the.....	409	the new.....	404
Guns and powder, few.....	409	Telegraphing, government.....	407
Guns, Prussian vs. English.....	409	Tidal water power.....	400
Hoodie tunnel, progress of the.....	409	*Velocities of different points on	401
*Jig saw, sunator.....	409	a driving wheel.....	401
Jupiter, the planet.....	409	*Volcanoes, artificial.....	407
Labrador strikes in England.....	409	Walking, about.....	406
Leas recovered, a stolen.....	409	*Wash boiler, improved.....	406
Man, the antiquity of.....	409	Weaving, practical school for.....	405
Meteors, the November.....	409	Wetting coal for heating boilers.....	400
Naval subjects, list of.....	409	Year, the end of another.....	400

## THE END OF ANOTHER YEAR.

The present number marks the close of the twenty-seventh volume of the SCIENTIFIC AMERICAN and also the expiration of many thousand subscriptions. Following our general rule based on the desire of not forcing our journal upon those who may not desire the continuance of its visits, we cease forwarding it to subscribers when the term, for which they have prepaid, ends.

The next issue will bear the imprint of a new year, a year, we trust, which at its close may find our country still further advanced in prosperity and greatness, and our industries and manufactures even more thriving; and which will in the end, to the inventor and to the artisan, the brain and hands of the nation, be productive of those substantial rewards which their labors so richly deserve.

With reference to the volume, the concluding words of which we now write, we believe that without egotism we may truly assert that it is the best we have ever published. And we may add the conviction that in no other journal can the same amount of valuable and practical information be found, so attractively presented. We point with a pardonable pride to the number and character of the original engravings embellishing every issue; to the fact that fifty-two numbers so copiously illustrated and so replete with interest can be afforded at three dollars a year, less indeed than half the subscription price of the majority of our English scientific contemporaries. Other periodicals, both American and foreign, have repeatedly expressed a natural surprise that so low a rate can be maintained. The explanation is obvious: mechanics, inventors, manufacturers, engineers, chemists, indeed all interested in the industrial progress of the world, make up our list of subscribers; with such a patronage, failure is impossible; aided by such numbers, cheapness of our product is a necessary consequence.

To those who for many years have been constant friends, the promise of increased excellence during the coming twelve months, the assurance that, as in the past, no effort will be spared to make the SCIENTIFIC AMERICAN the leading paper of its kind in the world, seems almost superfluous. To others, the proof that former and similar pledges have been amply fulfilled is best found in our circulation, which though steadily increasing, is now larger than that combined of all other journals occupying a similar field. We have printed for some time past 50,000 copies per week, and we have every hope that before the end of 1873 this already large number may be augmented to 75,000.

In conclusion, we ask our old subscribers, many of whom for a score of years have appreciated and encouraged our efforts, not only to renew, but still further assist us by obtaining new names. As the last volume was better than its predecessor, so shall the coming series be superior to that just concluded, and thus we trust that each year may find us the same silent though faithful teacher and, as we advance, a wiser and better guide to all who, whether in the realm of science, industry or art, labor for the benefit of their fellow men.

## PROPOSED CHANGE IN THE PATENT LAW.

We have received a copy of the proposed amendments to the patent laws, lately reported to the House of Representatives by the Committee on Patents, which amendments are understood to have originated with the present Commissioner of Patents, General Leggett.

The bill provides for the detachment of the Patent Office from the Department of the Interior, and the forming of a new department to be known as the United States Patent Office, the various appointments thereto and general supervision to be in the hands of the Commissioner.

The rapid growth of the Patent Office and its widespread influence upon the progress of the country seem to render this change desirable, and we should be glad to see it effected.

The bill next provides for the appointment of nine "chiefs of division" and one chairman of the board of appeals, at a salary of \$3,500 each, who are to supervise and approve the work of the principal examiners, hear and decide all questions arising upon applications for patents and reissues, give judgments allowing and refusing the same, etc.

In other words, this is a provision to add a bureau of red tape to the business of obtaining patents, and to place unnecessary obstructions in the path of the inventor. One of the distinguishing features of the American Patent Law is the comparative absence of official circumlocution in the grant of patents. We say comparative, bearing in mind the superabundant interference of officials in such matters in other countries. We already suffer from it here, but not to so great an extent as it prevails abroad. It is sufficiently difficult now for the American inventor to get his patent promptly allowed.

It cannot improve the chances of the inventor to have the work of the principal examiners supervised by another set of examiners. We all know how such things work. If the examiner is of opinion that an invention is patentable, the chief of division will be just as likely to be of the contrary opinion. It is a matter of opinion on both sides, and unless the two parties were frequently to differ, the supervising chief would be apt to consider himself to be of little importance. The way to ensure official delays, circumlocution and red tapeism is to multiply officials and place one set to watch and criticize another set.

It seems to us that the new board of chiefs which this bill proposes is unnecessary. In former times, there was greater difficulty in making examinations at the Patent Office than now, for then there were no duplicates of the patents; but now the patents are printed, and the examiner is enabled readily to inform himself as to the state of the arts in his particular subdivision.

If the Commissioner needs more help in examining, let him have more examiners. But the plan of creating a body of nose-men to smell out and poke over the doings of the principal examiners, we believe to be unnecessary and injurious to the efficient working of our patent system.

Another section of the bill relates to the qualifications of persons or agents who represent the inventor in making application for a patent. Such agent is to be required to produce, to the Commissioner of Patents, satisfactory evidence of his fitness to practice before the Patent Office. It seems to us that the law is well enough as it stands. It provides that persons who, by their acts, prove themselves to be unworthy shall be prohibited from practice.

If the inventor may apply in person for a patent, he certainly ought to be at liberty to appear by a representative of his own choice. The new proviso prohibits this, and requires the inventor to employ some person upon whom the official unction of the Commissioner has previously descended. Here the unnecessary red tape and official interference again makes its appearance. Give the Commissioner the power to say who shall and who shall not have the privilege of practicing before the Office, and you increase the difficulties and expenses of obtaining patents.

If any changes are to be made in the patent laws, let them be in the interest of simplicity, freedom, reduction of costs, and generous encouragement of inventors. The proposed changes we have criticized are likely to have an opposite effect. We shall refer to the subject again.

## TIDAL WATER POWER; A NEW AND USEFUL SUGGESTION.

Mr. A. E. Gordon, the editor of the New Brunswick, N. J., *Times*, has made a suggestion in reference to the utilizing of the power of the tides, which appears to us not only novel but practical and important.

The use of tidal water power to drive mills is common along our coasts. The ordinary method is to shut off the mouth of a small inlet by means of a dam having sluice gates to admit the sea water which, by the rise of the tide, enters and fills the enclosure. By the fall of the tide the enclosed water derives sufficient head to drive a turbine or other wheel, and so give motion to the mill. But when the tide again rises of course the head is destroyed, so that the mill can only run alternately, during two separate periods of a few hours each out of the twenty-four. It is this alternating and irregularity in the hours of motion, together with the periods of entire inactivity, that prevent the employment of this species of motive power for general industrial purposes.

The improvement suggested by Mr. Gordon consists in providing two water basins, both of which are to be shut off by dams from the sea. One of the basins is to serve as a constant supply reservoir of water, and it is to have a close dam of such width and height that the tide water, when it has risen to within one foot of its normal height, will begin to pour over the dam and quickly fill the reservoir. The dam of the other basin is to be provided with swing valves

which permit exit of the water at low tide but prevent ingress of water from the sea. This basin, we will now suppose to be empty. The water wheel is to be placed between the two basins, and the fall of water from the reservoir into the discharge basin will afford continuous motive power so long as the supply of water lasts and until the rise of water in the discharge basin destroys the head. But as this latter basin is entirely emptied at every tide, the head will be always kept good, presupposing, of course, that the reservoir and the discharge basin are made of proper size. In respect to this last point, it is well known that basin capacity on our coasts is almost unlimited, and there are thousands of localities where extensive water powers may be thus provided and maintained at a comparatively small cost. We trust that Mr. Gordon will proceed to elaborate his plan and place it before the hydraulic engineers of the country for discussion.

## THE PLANET JUPITER AS REVEALED BY THE MODERN SPECTROSCOPE, PHOTOMETER, AND TELESCOPE.

From a cosmical standpoint our sun is only one of the millions of stars which fill the infinity of space, and its annihilation would scarcely be perceived, while our moon is of no more consequence than a pebble on the seashore. From a terrestrial point of view, however, they are the most important heavenly bodies, and next to them comes the planet Jupiter, for reason of his immense size, which is more than twelve hundred times that of our earth and nearly equal to all the other planets taken together, for which reason Proctor calls Jupiter "the giant planet."

It is not only his size, but everything in relation to him which is astonishing. His axial rotation of 10 hours is so rapid that masses near his equatorial zone are carried round with a velocity of over 7 miles per second, a velocity sufficient to overcome all terrestrial gravitation, as a cannon ball fired upward from the earth with this velocity would never return. The consequence of this is that Jupiter's polar axis is 7,000 miles shorter than his equatorial diameter, which is 82,000 miles.

It is clear, then, that the ordinary notion, the result of the study of our astronomical text books, that the planets Mercury, Venus, the Earth, Mars, are of about equal importance with Jupiter, is erroneous; those four inner planets are very insignificant when compared with the colossal outer planets, Jupiter, Saturn, Uranus, and Neptune.

The next remarkable feature of Jupiter is his low density. The specific gravity of his mass is not much above that of water, while that of the earth exceeds water six times; and this fact has been a puzzle to astronomers, especially as falling meteoric masses from the planetary space have never shown any substances not present in our earth, and also as the spectroscopic appears to reveal to us that the whole universe consists of the elements which are all known to us by terrestrial investigation.

What can then be the cause of Jupiter's low density, when he is most likely a collection of the same elements and chemical compounds found on our earth? And here, three different kinds of investigation, each requiring its special apparatus, have been at command of the astronomers, and have satisfactorily answered this question. The first is the telescope, the second, the photometer, the third, the spectroscopic.

The telescope revealed the fact that Jupiter is surrounded by a series of vaporous belts laying parallel to his equator. Some of these belts are creamy white, others of a copper color, becoming bluish near the poles. These belts are subject to immense changes. In 1860, a rift in one of them behaved so as to prove the existence during six weeks of a violent hurricane, raging over a surface equal to that of the whole earth, and with a velocity of over 150 miles per hour. Such a storm on earth would destroy every building, tree, ship, etc., in fact would totally desolate the earth's surface. In 1870, it was discovered that the creamy white belt on the equatorial zone became orange, lost its sharp outline, and showed appearances which astronomers compared with post-holes, pipe bowls, oval moldings, etc.; while at the present day Lassell, President of the Royal Astronomical Society of England, and Father Secchi, possessing the finest telescope in Rome, agree that Jupiter is now presenting a most wonderful aspect, which only can be explained by the hypothesis that what we see of his surface is nothing but vapors of different substances, and that thus the planet possesses a much higher temperature than our earth.

The photometric observations of Zollner in Germany, and of Bond in America, prove that Jupiter gives more light than could be reflected at his distance from the sun, if it was only solar light which we see. Zollner found that he gives four times more light than would be the case if his surface was like that of our moon, and the conclusion to which we are driven is that the planet shines partially with its own light, is in fact red hot, and is surrounded by vapors.

The spectroscopic has verified this view, and proved that the visible surface of the planet contains enormous quantities of aqueous vapor highly heated; in fact, it consists chiefly of superheated steam, of such very high temperature that it is self-luminous, and thus the planet itself is of a much higher temperature still.

The four satellites, in the meantime, are cold; they are so much smaller that they have cooled down far below the temperature of the planet, and may be inhabited, while the heat of the planet makes up for the great distance from the sun. Our earth and moon were probably once in the same condition, geology proving that the earth's crust was once in the fluid state, and our globe surrounded with red hot vapors. At that time the moon had probably not cooled down



to its present low temperature, and received light and heat from sun and earth both.

The proof of this condition of Jupiter's satellites is furnished by the observation that, when a satellite passes over the light disk of the planet, it forms a perfectly black spot, while its shadow is not black but shows the luminosity of the vaporous surface on which it fell. Perhaps this vaporous envelope is of great extent, and the solid or fluid nucleus of the planet is much smaller than Jupiter appears to us.

The conclusion then arrived at, by astronomers of the present day, is that, when comparing the sun, Jupiter, and the earth, Jupiter is midway in temperature as well as in size; the sun is about one thousand times larger than Jupiter, and Jupiter about one thousand times larger than the earth. While the sun is most intensely white hot, Jupiter is moderately red hot, and the earth only radiates obscure invisible heat.

#### PROGRESS OF THE HOOSIC TUNNEL.

The great railway tunnel through the Hoosic Mountain, near North Adams, Massachusetts, is progressing very effectively, and it is probable that the bore will be completed in October, 1873. The boring has for the past year or more been carried on at four headings, one on each side of the mountain and two, in opposite directions, from the bottom of a vertical shaft which is sunk near the middle of the mountain. The 12th of December was an eventful day among the workmen. After some unusually heavy blastings, a junction of the two headings between the east end of the tunnel and the central shaft was then effected, greatly relieving the contractors by the immediate drainage of the water from the central shaft. The central shaft is 1,030 feet in depth, and, since the junction was made, it is found to operate like an immense chimney, producing a strong draft through the whole length of the eastern section of the tunnel, a distance of nearly two and a half miles. It has not yet been ascertained what, if any, difference exists between the lines of the two borings which have just been united; but it is believed that there can be only a trifling variation. The working of the pumping machinery, previously required to keep the shaft free, was a difficult and expensive operation. The water will now flow down grade into the Deerfield river and the pumps may be removed. A distance of about four thousand feet remains to be cut in order to complete the bore. The total length of the tunnel will be almost five miles. It is the second longest tunnel in the world, the Mont Cenis bore, through the Alps, being nearly eight miles in length. But the St. Gothard tunnel, through the Swiss Alps, which was commenced during the present year will beat both of the above, as it will be thirteen and a half miles in length.

#### THE FIRE AT THE FIFTH AVENUE HOTEL.

The Fire Marshal of New York, after an exhaustive examination of many witnesses, is of the opinion that the recent fire at the Fifth Avenue Hotel was caused by accident. The testimony clearly shows that the flames originated in one of the servant women's chambers, through which passed the laundry elevator, the opening therefor being a square aperture, cased with dry wood, extending from top to bottom of the building, about ninety feet. This elevator opening formed, in effect, an immense chimney for the rapid progress of the flames. The woman who occupied the chamber testified that she was in bed, sound asleep, and awoke to find herself surrounded by flames. Her clothing was destroyed, the bed clothing on fire, and she herself was badly burned. She escaped into the hallway, and gave an alarm; but the fire had already traveled to the attic, and an alarm been given. The Marshal thinks that the woman, in getting into bed, probably stepped upon a match, which ignited her clothing; the fire smoldered for a while, but at last increased, the flames entered the elevator, the draft carried dense smoke to the attic, which there suffocated the eleven unfortunate females, who lost their lives long before the flames could have reached their bodies.

The evidence goes to show that the Fifth Avenue Hotel was well provided with the apparatus for extinguishing fires, in the use of which the men connected with the hotel are frequently drilled. All the floors are provided with water mains, to which hose pipes are kept constantly attached, and there are also steam pumps always in readiness in the basement. In the present case it was not half a minute after the alarm was given before some of the hose had been stretched and water directed upon the flames. But the fire had evidently been burning for some little time before its discovery, and it was then too late quickly to check its spread.

#### RETIREMENT OF JUDGE NELSON.

After nearly half a century's honorable service on the bench, Judge Samuel Nelson has retired from the Supreme Court of the United States, thus closing a judicial career, in point of time, unparalleled in the history of jurisprudence.

Judge Nelson was appointed Judge of the Sixth Circuit, which included Otsego county in this State, in April, 1823, and held the position until February, 1831, when he was made Associate Justice of the Supreme Court of the State of New York. In 1837 he succeeded Judge Savage as Chief Justice, and in February, 1845, he was elevated to the bench of the Supreme Court of the United States, being appointed by President Tyler. His most notable decisions were in the celebrated Dred Scott and legal tender cases, though especial deference has always been paid to his opinions in questions of admiralty law and intricate patent suits. In deciding the latter class of litigation, Judge Nelson has probably had a greater experience than any judge that has ever lived, and

has won the highest honors for his strong common sense, broad views and ready grasp of the weightiest subjects.

The Judge has, with slight exception always enjoyed robust health, and has never been absent from duty at the State or United States Courts but one term, that of last year. At the closing session of the High Commission in the spring of 1871, he incurred a severe illness which confined him to his house for several months. From this he has since recovered and now, impelled by his weight of years and need of repose, retires from the position which he has so long and so ably filled.

While expressing our regret at the necessity which causes, to the inventors of the United States, the loss of so honorable, wise and faithful an arbiter, we but join in the general public opinion in thus placing upon record our earnest appreciation of the "purity, dignity and impartiality which have commanded the confidence, esteem and admiration of an entire nation, and the acknowledgement of jurists in other lands."

#### THE CENTENNIAL OF 1876.

The organization of the United States commission appointed under a recent act of Congress is now perfected, and two meetings have been held at Philadelphia. Funds are now needed to carry out this great and patriotic work; and, in order that our readers may understand the salient points of the undertaking, we extract the following from information furnished by Mr. J. V. L. Pruyn of Albany, the United States Commissioner from New York.

It is proposed to celebrate the one hundredth anniversary of American Independence by holding a Grand International Exhibition of the arts, manufactures and products of the entire world, in the city of Philadelphia in the year 1876. The United States Centennial Commission is made a body corporate authorized to issue stock to the amount of ten millions of dollars, in shares of ten dollars each, for the purpose of defraying the necessary expenses. Subscriptions will be received at all incorporated banks, State and National, and by numerous private bankers; the books will be opened for one hundred days, beginning in New York from November 31st. The stock is apportioned *pro rata* among the States and territories, according to their respective populations. In New York, the quota is \$1,180,000.

We sincerely trust that this call for money for so laudable a purpose will meet with a most generous response. The exposition for which we have three years to prepare will be the grandest the world has ever seen; and we indulge in no egotism when we predict that it will throw far into the shade the World's Fairs of London and Paris, and even the much vaunted Vienna show.

It will exemplify the unprecedented progress of our nation during its brief existence of one hundred years; and, while attracting to our shores the products of other countries, will exhibit to the world at large not only what we have accomplished, but the vast resources of our territory remaining yet to be developed. Such an exhibition will be of incalculable benefit to the whole land, and we are confident that no efforts will be spared or assistance denied which will tend to make it a worthy commemoration of the greatest event in the history of the United States.

#### AMERICAN INVENTIONS IN EUROPE.

In referring to the dangers of infringement of his patent rights incurred by the American inventor contributing to the Vienna Exposition, we have frequently alluded to the fact that Austria is by no means the only country in Europe which, under cover of a so-called protective act, countenances the piracy of the property of strangers. The same is true to a greater or less extent in all the continental nations, though from the evidence of Mr. Henry Bessemer, the English manufacturer, recently published in our columns, and from the facts given below, it may be fairly conceded that the new German Empire rivals its southern neighbor in systematic injustice. The Paris *American Register* prints a letter from a correspondent in Berlin, in which we find it authoritatively stated that the Prussian field artillery, which figured so largely in the recent war, is the invention of a prominent American, who applied for a patent in Prussia some years since and was rejected. The inventor at the same time offered his invention to the Government and solicited a proof, but the Government condemned it without a trial. Later, under the noted Prussian manufacturer's name, Krupp, it became an invention and was adopted. The new small arm (described in our last issue) was invented by an American, and a patent applied for, but as usual the application was rejected. Trials were made with it before the Prussian Government, in 1868 which attracted little or no attention, but recently it also has been adopted under the name of a Prussian subject.

In further corroboration of the assertions above made as regards German injustice, we have lately received a communication from an American inventor, detailing his experiences in both Austrian and Prussian patent law. He favors us with the following copies of official letters received by him, and adds that they may prove of especial interest from the fact that the identical invention has since been adopted by the German Government and a patent thereon granted to a native of the country. We give the documents *verbatim* so that they may explain themselves:

(TRANSLATION OF REFUSAL.)

BERLIN, May 21, 1868.

The demand for patent, contained in the papers herewith annexed, of the 21st of March, for improvements said to be novel in breech-loading firearms, with sliding and turning bolt, relates, according to the opinion of the Technical

Commission charged to examine the patents, to the shape of the grooves and channels which serve to operate and secure the locking. As such they are not patentable, inasmuch as patents cannot be granted for modifications in forms already known. The assemblage of a spring, furnished with a hook on the locking piece in order to remove the cartridge shell from the gun, is a combination well known, and has been the object for many demands of patents. In consequence, the patent cannot be granted.

THE MINISTRY OF ETC., ETC.  
(COPY.)

BERLIN, September 16, 1871.

To your application of August 30, we reply, returning documents, that the patent applied for Mr. Benjamin Berkeley Hotchkiss, of New York, "improvements in projectiles," cannot be granted, because nobody can be prevented attaching to the point of a projectile a whistle, etc., to produce a loud sound.

Ministry of Commerce, Trade and Public Works,  
IV. Department.  
(Signatures illegible.)

These literal translations, we think, will supply adequate proof of the Prussian mode of conducting patent business. The plan is simply either to urge inventors to make experiments, and after all possible information is elicited to inform the would-be patentee that his device is no improvement or not enough of a one to justify the further proceeding of the trials, or else, to assert that the invention is a mere modification, and as such not subject to the grant of a patent. Of course it is practically impossible to discover where a modification stops and where an improvement begins.

Dismissing here the Prussian law, we have yet a few words to add regarding the Austrian regulations, in the shape of the following extracts taken from the letter of a practicing attorney in Vienna, sent to his American client and by the latter gentleman transmitted to us. The communication states that if the American Government would take cognizance "of the way in which patent affairs are treated in Austria, it might feel it a duty either to make the Austrian Government aware that it must either ensure protection for patents or the American Government would be obliged to warn its citizens from being entrapped by a mere show of protection at the exposition." Further "there is no doubt but that the ministry will not alter its proceedings, having given no order as yet." "Your papers have again wandered to the Polytechnic School, and if they do not call experts to inquire into the affair in your presence, so as to give you an opportunity to explain the matter, it is evident the suit will never be finished, except if they think it admissible to decide against you." The date of this document is October 26, 1872, proving that, as late as two months ago, nothing had been done to alter the existing laws.

There is little necessity of our entering further into the details of this subject. No treaty between the Austrian Government and our own has as yet been concluded, nor in the slow circumlocution of diplomatic negotiations is there much probability of anything of the kind being done in due season to prepare goods for exhibition. Moreover, there is no use in patching up a bargain with Austria and leaving Prussia untrammelled; there is just as much danger to be apprehended from one country as from the other. Altogether, we can hardly see how any new American device can be forwarded to Vienna unless the owner chooses to risk the dangers we have pointed out. If then it is expedient to send novel inventions, our display must necessarily be confined to already well known products, and in reference to these there must be a decided objection to Congress wasting public funds, by appropriating money sadly needed for many purposes of direct national benefit, solely to secure an advertisement for established and wealthy manufacturers.

#### SCIENCE RECORD FOR 1873.

The forthcoming volume of the above, for the new year, will be ready sometime in January, and promises to be a most interesting and valuable work.

The unexpected success which attended the issue of the volume for 1872 has encouraged the publishers to undertake its enlargement and improvement. The RECORD for 1873 will contain almost twice as much matter as the preceding volume. The new RECORD will have six hundred octavo pages, will be illustrated with a large number of engravings, and will contain accounts of all the leading facts of interest that have transpired during the preceding year in the various branches of science, embracing Chemistry, Metallurgy, Mechanics, Engineering, Railways, Navigation, Electricity, Light, Heat, Sound, Technology, Botany, Horticulture, Agriculture, Rural Household Economy, Materia Medica, Therapeutics, Hygiene, Natural History, Zoology, Meteorology, Terrestrial Physics, Geography, Geology, Mineralogy, Astronomy, Biography, Necrology, etc. In short, the general scientific progress of the world during the preceding year will be faithfully represented in SCIENCE RECORD for 1873. It will be a volume packed full of useful information, exceedingly convenient for reference, and should have a place in every library. Price \$3. Published by Munn & Co., office of the SCIENTIFIC AMERICAN, New York.

NEW GALVANOMETER.—M. Bourhouse of Paris is the inventor of a new galvanometer. It consists of a magnetized steel balance beam, delicately poised and capable of being adjusted by means of sliding weights. This beam, which is enclosed in a coil of wire, is provided with a long pointer at its center, and the end of the pointer passes along a graduated arc. This galvanometer is so delicate that it shows a considerable deflection when the hand is brought near a thermopile connected with it.



## MALLET'S METHOD FOR OXYGEN.

This method is based upon the property of water to retain the oxygen of the air in preference to the nitrogen. Atmospheric air, as well known, is composed of 20.55 parts oxygen and 78.16 parts nitrogen, by volume, the remainder being carbonic acid and vapor of water. The air dissolved by rain water of a temperature of 50° Fah. has been found to consist of 33.76 parts oxygen, 64.47 parts nitrogen and 1.77 parts carbonic acid, by volume, showing thus an increase of 13.21 parts oxygen and a decrease of 13.69 parts of nitrogen. One quart of water, according to Dalton, is capable of dissolving 2.44 cubic inches of air. This dissolving action of water is correspondingly increased by pressure, and Mallet has made use of it in the following manner and by the apparatus represented in our engravings. There is a series of chambers, A, B, C, etc., eight in number, consisting of strong sheet iron, almost entirely filled with water. There is also a series of double acting air compression pumps, a, b, c, used in connection with the chambers as shown. The pistons and slide valves of these pumps are all moved by the same shaft. Piston of pump, a, in its descent presses atmospheric air at p into chamber A. m is a perforated plate, so arranged that the air may be divided and pass up through the water in fine streams. In its passage through the same a part of the oxygen is absorbed and retained in the water, while the air, deprived of oxygen (the nitrogenized air) rises to the upper part of the chamber. When the piston of pump, a, descends, piston b ascends, and *vice versa*, and when stopcocks, E, E, E, are opened, those at their right are closed, and *vice versa*. This latter operation is performed by hand and by the system of parallelograms indicated. For the better understanding of the working of the apparatus, we will suppose that the pumps have been in operation for a short time. The first, third and fifth chamber, etc., in the position of the pistons as indicated, will contain nitrogenized air in their upper portions; in each succeeding one, the portion of nitrogen is less than in the preceding chambers. The second, fourth and sixth chambers contain, on the other hand, in their upper portion an oxygenized air, the air being more highly charged with oxygen the more chambers it has passed through. When the first piston descends, the nitrogenized air from the top of chamber A is carried over through pipe C to the upper side of the piston in cylinder a; simultaneously the nitrogenized air in the top of chamber C is drawn into pump c. This air is drawn into the cylinder when the piston goes down, and is discharged therefrom at the arrow into the surrounding air, when it rises. In its descent, fresh portions of atmospheric air are driven into chamber A. Now as to piston C, it is evident that, when it rises, an exhaustion takes place in chamber A; hence the oxygenized air, which, up to this moment, has been dissolved in the water, is caused to escape and is drawn over below cylinder b. When piston b descends this air is forced through pipe C into the water of chamber B. In its passage through the water, oxygen is again absorbed and retained, while the air deprived of oxygen rises to the upper part of the chamber. While piston b descends, this air is drawn through C in the direction of the arrow into the cylinder, which it aids to press downwards, and when piston b rises, it escapes in the direction of the small arrow into the surrounding atmosphere.

The same operation repeats itself in the succeeding chamber C. In the positions of the pistons, as represented, the

of pump b, however, is charged with nitrogenized air. Chambers A and C hold nitrogen in their top portions. The oxygenated air in cylinder of pump c is forced over into chamber C, and so forth. To the last chamber a simply acting pump is attached for the purpose of drawing the oxygen, now almost pure, into the gas holder, in which it is retained for use. The air, after having passed through eight chambers, consists of 97.3 volumes oxygen and 2.7 volumes nitrogen, the presence of this amount of the latter gas, for most technical purposes, being quite unimportant. The machine described has been in use in Frankfort-on-Maine for more than two years, and the oxygen produced by it is used by Philipps in his new system of illumination, which consists in the combustion of a highly naphthalized fluid (carboline) by means of oxygen in a lamp constructed for the purpose. The inventor uses only air of 53 per cent oxygen, and claims that it gives the same intensity of light as pure oxygen. The light of this lamp is equal to one hundred candles or to ten ordinary gas flames. It is bluish white, and is very similar to the magnesium or electric light.

## THE APPLICATION OF CHEMICAL FERTILIZERS TO HORTICULTURE.

M. Jeannel, says *Les Mondes*, has made a series of experiments in the Jardin d'Acclimation in Paris, in the use of chemical fertilizers in the process of horticulture. It has been found that plants can receive, in solution with the water with which they are irrigated, the mineral constituents necessary to their organism, and which manure does not furnish until decomposed in the soil. The following results are given of three specimens of potted plants:

First series: Plants cultivated in sand watered with ordinary water; plants cultivated in mold similarly irrigated; plants cultivated in sand supplied with common water and receiving weekly a portion of mineral manure in solution. The truly extraordinary success, says the author, of the latter mentioned specimens can hardly be imagined. They became doubly developed, more green, and flowered far more profusely than the plants raised in mold. Naturally, he adds, the plants cultivated in sand without the aid of the fertilizer proved puny and miserable. Second series: Two specimens of each plant were placed in pots of exhausted earth, one receiving ordinary water, the other a weekly supply of the mineral manure. The latter flourished with a most luxuriant development of both floral and foliaceous organs. Soil watered with these mineral ingredients, it is stated, never becomes exhausted. The constituents that the plant abstracts are daily returned. M. Jeannel has produced a *Tradescantia virginica* in a two liter pot, the earth of which has not been changed for fifteen months. The plant forms a tuft of exquisite green over 1.6 meters in length and .8 meter in diameter. The proportions and ingredients of the chemicals used are as follows:

Nitrate of ammonia.....	400
Biphosphate of ammonia.....	200
Nitrate of potash.....	250
Chlorhydrate of ammonia.....	50
Sulphate of lime.....	60
Sulphate of iron.....	40

Pulverize, mix, and preserve away from moisture. The method of employing the above compound is quite simple. It suffices to dissolve 4 grammes of this mixture in a liter of common water, and to give to each plant weekly 25, 50 or

cylinders of pumps a and c hold oxygenated air; the cylinder even 100 grammes of the solution independently of the ordinary waterings. It is recommended to place the pots on plates and to regulate the quantity of the fertilizer applied by the size of the former and the development of the plants. The cost of the compound should not exceed three francs (sixty cents) per kilogramme; so that one liter of the solution, serving for forty weekly waterings, need not cost more than one fifth of a cent to replenish.

This fertilizer is but moderately useful for leguminous and is hurtful to saxifrageous and bamboo plants; it retards the germination of the latter and hinders the growth of the young shoot.


## Prussian vs. English Guns.

Many of our readers have, no doubt, noticed in the papers, says the *Engineer*, statements, quoted from the *Börsenzeitung*, as to the startling results recently obtained at Berlin with the new 11 inch Krupp gun against iron plates in August last. According to the *Börsenzeitung*, the 11 inch gun, with a success exceeding "all expectation," has driven its shot through a "12 inch solid plate, a wooden backing of 26 inches, and an inch plate or skin," after which it had "a considerable amount of force left in it." We do not hear at what range this took place, which is an important element in the question, but we understand that 100 yards is the one generally adopted, and report says that a charge of about 70 lbs. was employed. We speak, however, subject to correction; we have accepted the facts as represented by our German contemporary, and proceed to give the results obtained here most nearly bearing on the question.

Our own 11 inch gun about July, 1871, fired four rounds against a structure known as No. 33 target, at Shoeburyness, consisting of 8 inches iron, 6 inches wood, 5 inches iron, 6 inches wood and 1½ inches of skin. The range was 200 yards. Three rounds were fired with charges of 85 lbs., and the last with 75 lbs. of pebble powder—one shell and three shot being used. In every case the projectile completely penetrated the target and passed on, and this being so, we presume we may safely add, in the words of our German friends, that "it had a considerable amount of force left in it." Indeed in one instance we can speak more definitely, for a deep indentation was made by the shot's point in a plate some distance to the rear and in the line of fire.

We are next informed that the Krupp 10 inch gun is expected to penetrate the same target as the 11 inch. This is, however, only an expectation, based on the assumption of an increase of charge not yet determined, to which is added as a crowning triumph that the 12 inch Krupp is expected to drive its 660 lbs. projectile through plates from 15 inches to 16 inches thick. Our readers will find recorded in the *Engineer* of June 28th the actual effect produced by our 12 inch 35 ton gun against the above mentioned No. 33 target strengthened by a front plate 4 inches thick, on June 20th last. We may here state briefly that the projectile, fired with a charge of 110 lbs. of pebble powder at a range of seventy yards, drove its head and shoulders through 10½ inches of iron and 12 inches of teak. As a shell the effect was less, but the conditions of the question were complicated by the introduction of an air space.

CAUSTIC LIME, freshly slaked, is often an excellent preparation for a crop on a clay soil.



MALLET'S APPARATUS FOR OBTAINING OXYGEN FROM ATMOSPHERIC AIR.



[Reported for the Scientific American.]  
**ELECTRICITY.**

A Lecture delivered by President Henry Morton, at the Stevens Institute of Technology, Hoboken, N. J., December 8, 1872.

In the second lecture of the series, President Morton confined himself to the consideration of the different ways in which electricity passes from one object to another, and in treating of these he adopted, for commencement, the customary division into (1.) Conduction, (2.) Convection, and (3.) Discharge.

When electricity passes tranquilly through bodies without making any special manifestation of its presence, it is said to be conducted, and the bodies which convey it are called conductors. The best conductors are, as is well known, the metals, and the poorest, such substances as glass, hardened rubber, dry wood, and dry air. It is Professor Morton's opinion that damp air may also be a non-conductor, and that it has been classed with conductors because bodies exposed to it are apt to be covered with a film of moisture and then conduct electricity.

#### RED LEAD GLASS UNFIT FOR INSULATION.


Another remark was made, in this connection, which is, in our opinion, of importance to such of our readers as have to do with the construction of electrical apparatus; it is that red lead, although one of the best of non-conductors, will render glass a very good conductor, if it enters into its composition. Such glass, which is usually of high refracting power, and therefore brilliant in appearance, is utterly unfit for purposes of insulation.

The subject of convection was but briefly alluded to. It takes place when electricity passes from an excited body into the air and sets the particles of the latter in motion. This motion was made visible in the preceding lecture, by placing a candle near the brass point of an electrical machine. The candle was nearly blown out, so strong was the current of air produced by the escaping electricity.

#### ELECTRICAL DISCHARGE.

What is called an electrical discharge takes place in three different ways. When an electrical machine is excited in a dark room, a glow is frequently observed around the plate or cylinder. This is one form of a discharge. Another is seen at the brass points of the prime conductor of machines, where it becomes manifest as a luminous pencil or brush. The most important, however, is what physicists call the disruptive discharge. When an obstacle is opposed to the progress of electricity of sufficient strength or tension, the electricity leaps over it, and a spark of greater or less brilliancy is the result. Now, this spark has enabled Wheatstone to measure the velocity of electricity by the following ingenious method.

FIG. 1.



#### VELOCITY OF ELECTRICITY.

A coil of copper wire, a quarter of a mile long, connects the two brass balls, B and C, in Fig. 1, and another similar coil connects the brass balls, D and E. F is connected with the outer coating of a charged Leyden jar. Now, if A is connected with the inner coating of the jar, a discharge will take place, and the spark will jump from A to B, from C to D, and from E to F. The three sparks, however, are not simultaneous, although the interval between them may be very small. The electricity requires a certain time to pass through the half quarter of a mile of copper wire from B to C and from D to E. To measure this interval, Wheatstone caused these sparks to be reflected in a rapidly revolving mirror, where they appeared in three lines of light of equal length, the middle one lagging somewhat behind the other two, as in Fig. 2. The mirror revolved 800 times a second. On measuring the distance which the middle line was behind the others on the cylindrical mirror, it was found to be about  $\frac{1}{4}$ ". The time it took the discharge to travel from B to C and from D to E, that is, a quarter of a mile, was  $\frac{1}{800} \times \frac{1}{4} = \frac{1}{3200}$  of a second, which would give for electricity a velocity of 288,000 miles per second. We are far from obtaining such velocity, however, in our telegraph wires; and Faraday has shown that the nature of the conductor and the intensity of the electrical charge causes the velocity to vary.

#### THE NATURE OF ELECTRICITY.


There is another point of considerable theoretical interest attached to the above experiment. As our readers are doubtless aware, there are two theories, or rather hypotheses, by which physicists seek to explain electrical phenomena. The real nature of electricity being entirely unknown, these hy-

potheses serve only to arrange and classify the facts, thus rendering it easier to remember them. Unless one of them, therefore, is disproved, it is merely a question of convenience which shall be preferred. They are known as the single fluid and the double fluid theory.

Since the text books generally regard the above experiment as demonstrating the incorrectness of the former theory, Professor Morton showed the theory to be capable of explaining the phenomenon as well as the other.

We quote the following paragraph, pointed out by the lecturer, in Müller's "Chemical Physics," page 353, for the two-fold purpose of giving the two fluid theory explanation and showing the opinion of one of the leading writers:

"This experiment affords a convincing proof of simultaneous action and reaction in the operations of electricity, and of its existence as a duplicate force; at the same time that a positive influence leaves the inner coating, an equal amount of negative influence leaves the outer coating, and these two neutralize each other at the central point of the conductor, that is, between C and D in Fig. 1. It appears from this experiment that Franklin's theory, though in many cases a simple and convenient mode of explaining facts, is not the true representation of the phenomena. The theory of two fluids, or rather of two forces acting in opposite di-



THE RHUMKORFF COIL.—FIG. 3.

rections, seems, by this experiment, to be demonstrated."

According to Franklin's theory, however, the electricity entering at A acts upon B by induction, pushing the electricity from B into C. This crowding out of B's electricity takes place, however, against its natural resistance, and consequently C will then be charged less strongly than A. It will have to wait for re-inforcement before it can leap to D. The same thing, however, does not take place between E and F; for although E acts on F by induction, yet there is no resistance to counteract, the electricity naturally and easily passing out of F into the earth.

The lecturer then proceeded to experiment. The source of electricity was the enormous Rhumkorff induction coil of the Stevens Institute. This instrument gives a spark 21 inches in length.

#### HOW ELECTRICITY MOVES.

To impress the fact that electricity will not confine itself to one path if any obstacle is interposed, but will leap in different directions, a large sheet of metallic paper, suspended on a banner, was connected to one pole of the coil. A long wire from the other pole, insulated by a glass tube, was taken by the lecturer and made to touch the metallic surface of the paper, which had previously been crumpled so as to break the metal. When the room was darkened, vivid forked lightning shot over the paper in different directions, leaping over the cracks in the metallic surface.

The back of a mirror was connected with one pole of the coil, while the other pole was presented to the front of the mirror. The electricity jumped along the surface, in order to make connection by passing over the edge to the silvering behind. The flashes together with their reflection in the mirror formed a very brilliant and effective experiment.

The greater part of the electricity will pass through the way in which it finds the fewest obstacles, and we can therefore determine its passage beforehand. The lecturer had prepared a pane of glass, on which were pasted narrow strips of tin foil close together. These he had cut at intervals with a penknife, in such a manner as to cause the spark, in passing, to exhibit the design of a butterfly.

#### LIGHTNING RODS—AN ARTIFICIAL THUNDERSTORM.

The practical value of the knowledge of this tendency of electricity to select several paths was illustrated by a little model of a house furnished with a lightning rod only on one side. If the thunderstorm comes from the other side, it may strike that side notwithstanding the lightning rod. On darkening the room, and approaching the house from the unprotected side with the wire from the coil, the lecturer caused an artificial thunderstorm to burst upon the house, and the audience could see one portion of the flash enter the lightning rods, while another struck the side of the house. Combustibles previously placed in the model burst into a blaze, and showed the disastrous effects of insufficient protection.

#### TENSION AND INTENSITY OF ELECTRICITY.

When considerable electricity is set free at once it has what is called tension, or force, to overcome obstacles. While the spark from the Rhumkorff coil is about twenty-one inches long and faint blue, its electricity, when bottled up in a Leyden jar and then set free in one single spark, is intensely brilliant, and sounds like the report of a pistol. By making the electricity pass through his condenser, consisting of a number of glass plates coated with tin foil and connected like

a battery of Leyden jars, Professor Morton obtained a spark fourteen inches long, which was of intense brilliancy and accompanied by a loud noise. (See Fig. 4.)

#### DURATION OF THE ELECTRIC SPARK.

The extremely short duration of the spark was shown by causing it to illuminate a rapidly revolving disk of paper containing a number of slots. Although it was moving so rapidly that the slots could no longer be seen, it seemed to stand still every time the spark flashed; it had no time to move perceptibly while the spark lasted. Short as is the duration of the spark of a Leyden jar, Professor Rood, of Columbia College, has shown by his beautiful researches that it is composed of several. (*American Journal of Science and Arts*, 1871, p. 100). This was exhibited by means of a revolving disk containing four slots, which was illuminated from behind by means of the electric spark. Each slot appeared like two or three, showing that the spark must be composed of two or three. Professor Rood found the duration of a single spark to be less than ninety-four billionths of a second ( $0.000,000,094$ ), a quantity which is entirely inconceivable.

#### ELECTRICAL FLOW IN VACUO.


The most beautiful experiments of the evening, however, were those illustrating the electrical discharge in a vacuum, or rather in exhausted glass tubes containing minute quantities of various gases and vapors. The most magnificent colors and soft tints of light were produced as the discharge passed. Some of these tubes, known as Geissler tubes, were arranged on frames to show the contrast of their colors, but there was one especially, containing, near its two ends, several globes blown one inside of the other, and filled with minute quantities of hydrogen, carbonic acid, and nitrogen, which showed the splendors of the light to the greatest advantage. In it, too, was perceptible that curious classification or layering of the electric light, which has never been satisfactorily explained. A large number of the tubes were connected together, forming a circle over five feet in diameter, with a large initial S in the center, also composed of tubes. When the spark was passed through them the effect of the different soft colored lights was entirely beyond our powers of description.

Gassiot's cascade was also shown. It consists of a goblet made of uranium or canary glass, and coated partially with tin foil. When this was placed under a receiver of the air pump, the air being exhausted, an electric spark made itself luminous (fluorescence being a property of uranium glass), and it seemed as if floods of yellow light were welling up from the interior of the goblet and gently flowing over its sides.

#### CONTINUOUS LUMINOSITY.

The concluding experiment showed the effect of an electric spark on circular tubes filled with traces of anhydrous sulphuric acid. These have the curious property of continuing luminous for about half a minute after the electricity has ceased to pass. Becquerel supposes that the particles have the property of keeping up the vibration after the cause has ceased to act; but it seems as though this were but another way of stating the fact instead of an explanation. Others

FIG. 4.



endeavor to explain it by supposing chemical decomposition takes place, and that the afterglow results from the recombination. It hardly seems possible, however, that the infinitesimal quantity of sulphur they contain is able to keep burning for half a minute. For this reason we are still obliged to wait for the true explanation of this, as indeed of many other phenomena in electricity.

#### Taking Cold.

If a cold settles on the outer covering of the lungs, it becomes pneumonia, inflammation of the lungs, or lung fever and in many cases carries off the strongest man to the grave within a week. If cold falls upon the inner covering of the lungs, it is pleurisy, with its knife-like pains and its slow, very slow recoveries. If a cold settles in the joints, there is rheumatism with its agonies of pain, and rheumatism of the heart, which in an instant sometimes snags asunder the cords of life with no friendly warning. It is of the utmost practical importance, then, in the wintry weather, to know not so much how to cure a cold as how to avoid it.

Colds always come from one cause, some part of the body being colder than natural for a time. If a person will keep his or her feet warm always, and never allow himself or herself to be chilled, he or she will never take cold in a lifetime; and this can only be accomplished by due care in warm clothing and avoidance of drafts and exposure. While multitudes of colds come from cold feet, perhaps, the majority arise from cooling off too quickly after becoming a little warmer than is natural from exercise or work, or from confinement to a warm apartment.

THE educated live longer than the illiterate; the rich, longer than the poor; the good, longer than the bad.



## Correspondence.

The Editors are not responsible for the opinions expressed by their Correspondents.

## Comparative Velocities of Different Points on a Driving Wheel.

To the Editor of the Scientific American:

As some of your readers have asked for information on this subject, I send the following for the benefit of A. P. C., and others:



1. Since P moves to P' in the same time that Q moves to Q', their average velocities will be respectively as the distances, namely, the average velocity of P, is to the average velocity of Q, as distance PP' is to distance QQ'. But  $PP' = 2r \sin \frac{\theta}{2}$ , and  $QQ' = 2r(2 - \cos \theta)$ ,  $r$  being the radius of wheel; therefore,  $\text{vel. of P} : \text{vel. of Q} :: \sin \frac{\theta}{2} : 2 - \cos \theta :: 1.414 : .586$ . It will be seen that the average velocity of P, thus far, is more than double that of Q.

2. At P' and Q', the velocities are equal.

3. The average velocity of P, from P' to P'', is to the average velocity of Q, from Q' to Q'', as .586 is to 1.414.

4. The average velocity from P to P' is the same as from Q to Q'.

5. The velocity at P, Q', P'', etc., is a maximum; at Q, P', Q'', etc., a minimum.

6. The velocities are the same at P and Q', at Q and P', at Q' and P', at O, and at any two points on the same horizontal line.

7. The velocity of P is inversely the same as that of Q; or, in other words, P ends with the velocity at P' that Q starts with, and P starts with the same velocity that Q ends with at Q'.

8. While the center moves a distance equal to  $2\pi r = 6.283 \times r$ , the point P moves over a distance equal  $8r$ .

Indiana University.

J. T.

## Remarkable Astronomical Phenomenon.

To the Editor of the Scientific American:

On Friday, December 13, 1872, there was a brilliant display on the surface of the sun, of the hidden forces within. The sky was cloudless, and at a little past ten o'clock, A. M. I was observing the sun with one of my transit instruments, for the purpose of adjusting the lens, when there appeared streaming forth from the western limit of the sun something similar to the flashes of the aurora, which obscured so much of its advancing edge that I could not proceed with the adjustment until matters became more quiet. Some of the flames reached a distance, outward from the surface, equal to one eighth of the diameter of the sun, which would amount to over 100,000 miles. These appearances subsided in about 15 minutes after I first noticed them.

For the last five years there have been but very few clear days in which I have not spent more or less time in similar observations, but have had no good evidence of any such disturbance before, and had no reason to look for such things, as I only employ one lens, and that is of very low power. I hope the astronomers at some of our observatories were fortunate enough to be at their eyepieces at the time; if so, I trust we shall, from some of them, have a full description of this interesting phenomenon. EDWARD PREVEAR.

Leominster, Mass., December, 1872.

## The New Ships for the Pacific Mail Company.

To the Editor of the Scientific American:

In your issue of December 14, in an article entitled "Revival of American Ship Building," you inform the public that the two steamers for the Pacific Mail Steamship Company have lately been launched at Wilmington, Delaware.

The *Colo* was built by the Delaware River Iron Steamship and Engine Works, situated at Chester, Delaware Co., Pennsylvania, (John Roach & Co's. yard), and launched Nov. 16, more than a week prior to the launch of the *Acapulco* at Wilmington, Delaware, on which account the *Colo* gets the engines which are being or were built in Scotland for the one that should be first launched. The Delaware River Iron Steamship and Engine Works have the sister ship nearly ready for the water and are preparing to lay the keels for two more ships for the Pacific Mail Company, which are to be 430 feet over all; which, when done, will be the largest vessels ever built in this country. I do not like the *Scientific American* to be in error; I quote it too often. N. RULOW.

Chester, Pa.

The Antiquity of Man. Letter from Professor Kirkwood, LL.D., of the Indiana State University.

To the Editor of the Scientific American:

Your paper of October 12, owing to some unusual delay, did not reach me till this morning. It is not proposed to renew the discussion on "Theology and Science." To most of your readers any further agitation of the subject would perhaps be undesirable. In a scientific paper, however, facts should not be given without careful scrutiny. I beg therefore to correct the following statement of a correspondent on page 228 of your current volume:

"The greatest age of human antiquity, if theology is true,

as maintained to-day is less than six thousand years, beginning in the days of Adam and Eve. Yet the Chinese records in astronomy go back twenty thousand years. The eclipses and conjunctions of planets in the days of Fedo, 10,000 years ago, have been recalculated by Baily and other astronomers, and they have mathematically demonstrated the truthfulness of the Chinese astronomical records, showing a difference of time of but fifty-one seconds."

Now the earliest eclipse of which the date has been preserved occurred in the twenty-second century before the commencement of our era. This is recorded in the Shoo King, "which is considered by the Chinese as the most ancient of their books." See Chambers' Descriptive Astronomy, page 198, the Memoirs of the Royal Astronomical Society, vol. XI, page 47, and the Monthly Notices of the Royal Astronomical Society, vol. XXIII, page 238.

The statement quoted in regard to planetary conjunctions is no better sustained. The most ancient account of an occurrence of this kind is found, it is true, in the Chinese annals. Its date, however, was but 2,449 years before the Christian era. See Observations of Comets, extracted from the Chinese Annals, translated by John Williams, F. S. A., one of the Secretaries of the Royal Astronomical Society, and first published during the past year.

In regard to the antiquity of man I express no opinion. But a cause, however good, cannot be permanently promoted by a loose statement of facts. DANIEL KIRKWOOD.

## The November Meteors.

To the Editor of the Scientific American:

Since November 27, I have looked in vain for some notice of an unusual meteoric shower that took place at that time. I first noticed it at seven o'clock, P. M., and called my wife to see the celestial display. By facing in opposite directions, we were able to count more than three hundred meteors, of various sizes and degrees of brightness, in half an hour. Had the sky not been partially obscured by clouds, we doubtless could have counted many more. From the decrease in the frequency of their fall, we inferred that the finest part of the display had escaped our notice. They radiated in all directions from a point in the constellation *Perseus*.

D. B. MOAK.

Norwood (near Cincinnati), O.

## Condition of the Patent Office.

The Secretary of the Interior, in his recent annual report, says: The number of applications for patents, including reissues and designs, during the year ended September 30, 1872, was 19,587; the number of applications for extension of patents, 284; the number of applications for the registering of trade marks was 589. During the same time were issued 13,626 patents, 233 extensions, 556 certificates of registry of trade marks, and 3,100 caveats have been filled. This shows a small increase over the number of the preceding year. The fees received during the same period, from all sources, amounted to \$700,954.86, and the total expenditure to \$623,553.90, making the receipts in excess of the expenditures to the amount of \$77,400.96.

Over 200,000 applications for patents have been filed since 1836, and about 133,000 patents have been granted. The drawings, models, and files accompanying these applications must be so classified and arranged as to facilitate access to them, otherwise there would be constant danger of duplicating patents upon the same invention, and each year's accumulation adds largely to this danger.

The Commissioner urges the importance of a separation of the Patent Office from the Department of the Interior. The matter is embraced in the bill now pending before Congress for a reorganization of the Bureau.

The work of the Office has been conducted in the most satisfactory manner during the entire term of the present Commissioner (General Leggett), and I most cheerfully attest his efficiency and capacity for its manifold and delicate duties.

## Researches on Santonine.

Santonine is the active principle of the *semencontra*, and for some years past has been prepared on a large scale for therapeutic purposes. M. de Saint Martin, says in *Les Mondes* that if santonine is, as claimed, really a phenol, its formula,  $C^{30}H^{18}O^6$ , indicates that, by its methodic reduction, there should be obtained, 1st, a diatomic phenol,  $C^{30}H^{18}O^4$ ; 2d, a monatomic phenol,  $C^{30}H^{18}O^2$ , and 3d, a carburet of hydrogen,  $C^{30}H^{18}$ . This last carburet would present the composition of a homologue of naphthalene, isomeric or identical with amyl-naphthalene. The author states that he has prepared monatomic phenol  $C^{30}H^{18}O^2$  and designated it by the name of *santonol*. In a crystallized form, it resembles the stearine which separates itself in fatty bodies. Liquid santonol is a very alterable substance, turning brown under the influence of air.

## A Stolen Lens Recovered.

The object glass of the Alleghany Observatory, at Pittsburgh, Pennsylvania, which was mysteriously stolen on a dark night some time ago, has been found and restored to its place in good order. Its value was \$4,000. It was carried off by an intelligent sort of a thief who probably expected that a reward would be offered for its return, enabling him to make a little money by the operation. He deposited it in a stable, and his pal stole it from him. But it finally came into the possession of the police and it was carried home.

We are desired to direct attention to the advertisement in another column addressed to the Board of Managers of the American Institute.

## Aniline Inks--Interesting Experiments.

The beauty and variety of aniline dyes has, for a long time, induced manufacturers to use them for the making of inks. Formerly, red inks were prepared from cochineal and ammonia, and blue inks from Prussian blue and oxalic acid; but an exceedingly cheap red ink may be made by simply dissolving a little gum in a very diluted solution of aniline red. This ink may be immediately used, and the solution must not be too strong, or the complementary color (green) will appear. Violet and blue inks, with and without a greenish tint, are now much used. The so-called *bleu soluble* is readily available for making them. It is prepared like red ink, and the same is the case with the "patent violet." Aniline dyes may also be employed for the preparation of sympathetic inks, which formerly were very much in vogue. Letters written with aniline red will disappear when exposed to the vapors of ammonia, in which case we obtain the colorless rosaniline, which is scarcely or not at all visible. After some time, especially if warmed a little, the letters appear again in their original beauty. Nicholson's blue yields a still more beautiful sympathetic ink. To produce it the blue is dissolved in a solution of borax, to which a little gum is added. When used, this ink is scarcely perceptible, but when exposed to the vapor of muriatic or acetic acid, the characters appear in dark blue; but they disappear if exposed to the vapors of ammonia.

The following is an interesting experiment, and may be of interest to popular lecturers on chemistry: White flowers, made of paper, and white silk ribbons may be variously colored, without any one recognizing how it is done. It is a well known fact that if an aniline dye, in the state of a very fine powder, is spread over a sheet of paper, and the loose dust removed, there remain imperceptible particles, which, however, are sufficient, if dissolved, to intensely color the whole sheet. To this end it is only necessary to moisten the paper with strong alcohol, or with a solution of alcohol and acetic acid. This experiment may be carried out by making roses or other flowers from paper. White roses, if covered with fuchsin in the form of dust, when immersed in spirits of wine or other proper solvent, are immediately changed to beautiful red roses. Silken ribbons may be treated in a similar manner. By dropping a few grains of aniline dyes into wine glasses and adding a solvent, variously colored liquors may be obtained by means that few persons are able to detect. A white liquid may be colored red, and decolorized by adding ammonia. In fact, many interesting experiments can be performed with these dyes.

## The Freezing of Water.

Dr. G. Krebs has devised a very simple arrangement, by which it is possible to show to an audience that water may be cooled considerably below 0° C. without freezing. He takes a tube 18 centimeters long and 1 centimeter wide, made of thick glass, closed at one end and furnished with a bulb. After thoroughly cleansing by heating sulphuric acid in it for some time and rinsing repeatedly with distilled water, he draws out the upper end to a long point. This point is kept dipping in distilled water, which has been boiled for some time. Every time the bulb is heated and allowed to cool, a little water enters. This is repeated until the tube is full clear up to the point. Then the point is made to dip into purified mercury and heat is applied to the bottom of the tube until the water reaches only half way up in the bulb, when the point is quickly sealed up by melting.

Placed in a freezing mixture, say of water and nitrate of ammonia, side by side with water in an open tube, it can be taken out and handled after the latter is frozen, without being congealed by the agitation. After the water in the open tube is completely frozen, that in the closed tube will freeze suddenly, if it is strongly shaken up and down once.

## Experiments on Certain Points of the Physiology of the Pneumo-Gastric Nerves.

MM. Legros and Onimus, says *Les Mondes*, have studied the influence upon the movements of the heart, in warm and cold blooded animals, caused by excitement of the pneumogastric nerves, according to the intensity and especially with reference to the number of excitations given at a time.

The number of necessary excitations in order to lead to the stoppage of the heart varies considerably in the two kinds of animals. While from 15 to 20 intermittences per second are necessary in the case of a warm blooded animal, two or three are sufficient for one of cold blood, especially in a state of hibernation. With the latter, less excitement is necessary to arrest the action of the heart, in proportion as the animal is weakened. With a warm blooded animal, whatever may be the intensity of the excitations or the number of intermittences, the complete cessation of the heart's motion has never been attained in less than from fifteen to thirty seconds. After the motion has ceased, there supervene, in spite of the continuance of the excitation, contractions, few it is true but strong and progressively augmenting in number.

A DISPATCH from Tripoli (Syria) announces the arrival in that city of several engineers sent from Constantinople by M. Pressel to construct the railroad proposed by Midhat Pasha. This line will connect the Mediterranean and the Persian Gulf. It will pass by Palmyra, cross the Euphrates, Mesopotamia, the Tigris, and will terminate in Bagdad, where it will meet the road, already begun, from the Persian Gulf.

At the Imperial Arsenal at Constantinople, an iron-clad war vessel is ready for launching. This is the first ship of this kind that has ever been constructed in Turkey after Turkish plans with Turkish material and by native workmen.



## SCIENTIFIC AND PRACTICAL INFORMATION.

## NITROGEN GAS.

This neutral, lazy gas is little used, excepting where an experiment requires to be performed in an atmosphere free from oxygen, as in making amorphous or red phosphorus; and even here carbonic acid gas will work as well and is more easily prepared. For lecture room experiments, to show the properties of nitrogen, it is generally obtained from the air by burning phosphorus under a bell jar of air. A neater method, and one that furnishes it in a steady current, is by heating nitrite of potassium. Take a strong solution of caustic potassa, and pass into it a current of nitrous acid, generated from starch and nitric acid. When the solution has become strongly acid, stop the current of nitrous gas and neutralize the solution with potassa. This solution of nitrite of potassium will keep well until needed. When about to generate the nitrogen gas, place one volume of this solution in a retort fitted with a tubulated receiver and a delivery tube leading into the pneumatic trough. Also place in the receiver three volumes of a saturated solution of chloride of ammonium. Heat gently to about 125° F. The decomposition is as follows:  $\text{KNO}_2 + \text{NH}_4\text{Cl} = \text{KCl} + 2\text{H}_2\text{O} + 2\text{N}$ . The chloride of potassium remains in the retort, the water is caught in the receiver, and the nitrogen is given off from the delivery tube.

## SOME EXPERIMENTS WITH PERMANGANATE OF POTASH.

When a hot concentrated solution of permanganate of potash is dropped carefully into a test tube containing a small quantity of glycerin, a very violent chemical action takes place; a portion of the glycerin is carbonized and thrown out of the test tube. Oxalic and formic acids are also produced. With ordinary alcohol, permanganate of potash produces a violent reaction, as has been frequently explained in scientific journals.

Oil of aniline is violently decomposed by a hot solution of permanganate of potash, but the resulting vile-smelling compounds have not yet been studied.

## SEPARATING WOOL FROM COTTON IN MIXED FABRICS.

Two cases may naturally arise: First, where the rags used are in great part cotton, and it is desired to destroy the woolen fibers in order to use the cotton for paper stock. Second, where the wool predominates, so that it is more profitable to destroy the vegetable fiber and preserve the wool.

1. The wool remaining after the mechanical separation of the rags is mostly destroyed by the alkali wherein the cotton is boiled before bleaching it. If it were attempted to dissolve out all the wool with alkali, it would be too expensive and would not pay. In this case what is known as Ward's method is employed. The rags are subjected to the action of superheated steam under a pressure of 3 to 5 atmospheres. At this temperature, the wool is converted into a black friable substance, which is easily separated by mechanical means as a dry powder. This powder is an excellent fertilizer, containing 73 per cent organic matter, and from 10 to 12 per cent nitrogen.

To destroy the vegetable fiber and preserve the wool, several methods may be used. The rags may be soaked with water containing 5 to 10 per cent sulphuric or hydrochloric acid, slightly pressed out, and then dried on the floor of a room heated to 190° or 212° F. for some hours. As the water evaporates, the acid becomes more concentrated and converts the cellulose into sugar and a gummy substance. Kopp considers the following the most rational and cheapest method: The rags are put in a bath of 100 parts acid and from 800 to 500 parts water, then taken out and allowed to drain, and are slightly pressed out, then dried slowly in a room in a current of air at a temperature of from 160 to 195° F. for many hours. When the wool is of very good quality, instead of using sulphuric or hydrochloric acid, oxalic acid or chloride of aluminum is used. These substances destroy vegetable fibers without perceptibly attacking the wool.

## CHLORALUM.

Upon examining various disinfecting preparations of the Chloralum Company, in London, Professor Fleck, of Dresden, found that it compares with the following ordinarily used and less expensive deodorizers and disinfectants:

	Parts putrefying matter.
Bleaching powder or chloride of lime disinfects.....	100-00
Burnt lime.....	84-6
Alum.....	80-4
Sulphate of iron.....	76-7
Chloralum.....	74-0
Chloride of magnesium.....	57-1

The chloralum is prepared by treating ferruginous clay with crude muriatic acid, and decanting the liquor, which constitutes the disinfectant. The residue is sold as "Chloralum Powder." The author discovered in the latter 0.72 per cent chloride of arsenic, 0.55 chloride of lead, 0.37 chloride of copper; but the preparation in the liquid form yielded less lead and copper. The author warns the public against the use of these antiseptics, or whatever they may be called, for ulcers or for use as a gargle in diphtheria or sore throat, for which purposes they have been recommended. The translator would remark that the so called "Bromo-Chloralum" of American manufacturers is a different and perfectly non-poisonous preparation, it being a concentrated solution of aluminum chloride and bromide, while the English chloralum consists principally of chloride of aluminum.

## ARTIFICIAL SKINS FOR SAUSAGES.

In Würtemberg there has been started a new industry, which consists in the manufacture of skins of parchment paper for sausages. This artificial product is considerably cheaper than the natural one; it is not subject to fermentation, and is distinguished by its cleanliness. It is made

by means of machines, in the thickness of ordinary writing paper, and samples may be obtained by writing to Carl Brandegger, at Ellwangen, and enclosing the amount of the postage.

## BOAT LOWERING APPARATUS.

A correspondent, R. B. F., of Mass., says: "In your No. 20, page 315, there is a description of a boat lowering apparatus, by E. J. Hill, Pimlico, England, whereby the ends of a boat are held by tackles and 'slip hooks,' so that, on touching the water, the boat is released at once. If the water be smooth, this is all very well; but if it be rough, there will be great danger of the forward end being released first. I have seen this slip hook or one like it at the Navy Yard here."

## List of Naval Subjects.

The council of the Institution of Naval Architects, London, have prepared the following list of subjects, which they desire to submit to the members and associates of the Institution, and others interested in shipbuilding, as questions on which they will be glad to receive communications for the annual general meeting in April (2d to 5th), 1873. It is requested that all such communications may be forwarded to the secretary of the Institution not later than 28th February, 1873:

1. The construction of vessels for coast defence.
2. The effect on naval construction of torpedoes, or other modes of submarine attack.
3. On the results of the best modern practice in ocean steam navigation, with reference to the latest modern improvements—such as surface condensation, superheating, compound engines, and the like; also the value of each of these taken separately, and especially the results of any actual experiments to test this point.
4. On the friction developed in marine steam engines of different forms; and on the difference between the gross indicated horse power developed in the cylinder and the net effective horse power available for the propulsion of the ship after working the air pump, slide valves, and other moving parts of the engine.
5. On economy of fuel in marine engines, with detailed results.
6. On marine boilers, their rate of combustion, and the proportioning of their various parts.
7. Information as to the deterioration of marine boilers supplied with water from surface condensers and the remedies for this.
8. Description of any improvements in the details of construction of marine engines.
9. On methods for starting, stopping, and reversing marine steam engines of high power.
10. Details of any experiments tending to throw light upon the theory of the steam engine.
11. On the life and cost of maintenance of merchant steam ships.
12. The design and construction of yachts.
13. On legislative interference with the construction, stowage, and equipment of ships.
14. The effect on shipbuilding of Lloyd's rules, the Liverpool rules, and the rules of other similar societies for the classification of ships; and on ships not classed.
15. On methods for the proper strengthening of ships of extreme proportions, and on the precautions necessary to insure their safety at sea.
16. On the straining effects of engines of high power on the structures of ships, and the arrangements necessary to obviate them.
17. On the present state of knowledge on the strength of materials as applied to shipbuilding, with especial reference to the use of steel.
18. Description of any vessel actually built, or in course of building, exhibiting great novelty in its principles of construction.
19. The preservation of a ship's internal structure from the effects of bilge water, leakage from cargoes, etc.
20. On the masting and rigging of ships, and on iron and steel masts and yards.
21. On ships' boats, and on apparatus for lowering and disengaging them.
22. On machines for economizing labor in the construction of ships.
23. On the use of machinery for economizing labor on board ship, whether merchant ships or ships of war, and whether for loading or manœuvring.
24. On the best method of clearing vessels of water in the event of a leak, and on any novel form of ship's pump.
25. On the means of accurately measuring the speed of ships.
26. On instruments for measuring and recording the rolling of ships, both as to time and extent of roll.
27. Actual measurements or records of sea waves; their height, length, periodic time, and speed of advance; or their profiles.
28. On the measure and amount of resistance opposed to a ship's progress by the water through which it moves.
29. Exact information (either experimental or theoretical) on the efficiency of propellers.
30. On the ventilation of ships by natural and forced drafts, with details of any system in actual operation.
31. On the economic value of form and proportion both in merchant vessels and in ships of war.
32. On floating structures for special purposes—such as docks, lighters, tank vessels, light ships, telegraph ships, and others.

THE cotton crop of the United States for the present year has been favorable. The total product for the year is 3,500,000 bales of 465 lbs. each.

## Value of Scientific Study.

Professor Jenkin, of Edinburgh University, on recently assuming the duties of the Chair of Engineering, founded by the late Sir David Baxter, made an admirable address to his class on the above subject, from which we take the following:

The originality which suggests novel enterprises—the common sense which judges the soundness of an undertaking—the experience which specifies the quality of every material required, and the manner in which old well known details are to be carried out—the business habits and sagacity which guide men in the superintendence of work and workmen—the clear head which understands obligations imposed by a contract, and which can write a document having a definite meaning—still more the glorious faculty of invention, by which a man creates, as it were, a new thing, and gives new power into the hands of his fellows—these qualities or faculties are all useful to the engineer in the highest degree, and neither I nor my colleagues can give them. The old self-made, unscientific engineers possessed them, and in virtue of them became what they were and are. Unscientific untaught men, who have these qualities, will still become engineers in spite of scientific rivals. All this I willingly concede; yet I claim that scientific teaching will help most those men who would do most without it, and that it will render useful even an inferior class of men—without it would be helpless and useless. Originality damped but guided by science; common sense suffers no wrong at the hand of knowledge; experience is not weakened by the power of calculation; education does not debar men from a knowledge of the world; the clearest head is strengthened by scholastic training; and the inventor is guarded from countless disappointments by obtaining the power of calculating results without, in every case, testing his suggestions by actual and costly experiment. In a word, scientific knowledge makes the great man greater, adding to his powers, and it guards the weaker brethren from many follies.

## Discovery of New Fossils.

Professor O. C. Marsh records the discovery of remains in theocene of Wyoming which clearly indicate several representatives of the lower *quadrumana*. Although these fossils differ widely from all known forms of the above group, their more important characters show that they should be placed with them. The genera *Lemnotherium*, *Thinolutes*, and *Telmatoles* especially have the principal parts of the skeleton much as in some of the lemurs, the correspondence in many of the large bones being very close. The anterior part of the lower jaw is similar to that of the marmosets, but the angle is more produced downward and much inflected. Some of the species apparently have forty teeth.

The large carnivore, recently discovered by Professor Marsh, is of a genus quite distinct from *L. ferox*. The canines and premolars of the lower jaw somewhat resemble those in the *hyena*, but these are only two incisors in each ramus. The remains indicate an animal about as large as a lion. The genus they represent may be called *Oreocyon*, and the type species, *Oreocyon latidens*. An interesting addition to the reptilian fauna of the cretaceous shale of Kansas is a very small saurian, which differs widely from any hitherto discovered. The only remains at present known are two lower jaws, nearly perfect, and with many of the teeth in good preservation. The jaws resemble in general form those of the mosasauroid reptiles, but, aside from their diminutive size, present several features which no other species of the group has been observed to possess. The specimen clearly indicates a new genus which may be called *Colonosaurus*, and the species may be named *Colonosaurus Mudgei*, after the discoverer, Professor B. F. Mudge.

## Few Guns and Poor Powder.

Would it not be more advisable for Congress, instead of appropriating half a million dollars to pay for the pleasure trips of a commissioner and a score of assistants to the Vienna Exposition, or to assist a body of manufacturers who need no such aid to forward their goods to European countries, to devote such money to protecting our harbors so that the iron clad vessels of foreign nations would be prevented from steaming up to our very wharves? The ordnance officers of the army state that our sea coast fortifications are armed with but 317 fifteen inch guns, all told; that the powder in the magazines was all made during the war and is of small grain, besides being damaged by age for use in these great guns, and that there are only on hand eighty projectiles for every fifteen inch gun, of which number only ten are solid shot.

## Practical School for Weaving.

The organ of the German wool industry publishes the programme of the above school, situated in Grünberg, Silesia. In this institute the following branches are taught: Shaft (or treadle) weaving, and weaving with the Jacquard loom in all its details, the weaving of woollen shawls, the weaving of velvet, plush, and carpets, the preparation of mordants and dyes, and chemistry as applied to dyeing. The pupils are practically instructed in executing patterns in colors, in designing, warping, in operating with the reading and stamping machine, and in weaving after known and self-invented patterns. They are made acquainted with the drawing and designing of the patterns in simple and compound forms, with the construction of the different machines, and other branches too numerous to be mentioned here.

A PATENT, granted not long ago to a Mr. Keep for a stove, contains no less than sixty-two different claims for improved parts. Some of them are exceedingly small points.



## IMPROVED SAFE PROTECTOR.

Our engraving represents a new portable safe protector designed to render ordinary fireproof safes more secure by enclosing them in an iron case, made with double walls, the hollow space between being filled with water. A continuous supply of the latter is maintained by connecting the protector to a suitable reservoir, situated in the upper part of the building, or to the ordinary water mains. The details of construction as represented in the illustration are as follows: The rectangular case is composed as above stated with double sides, top and bottom. The door is made to slide up and down in grooves and is all hollow; and, by suitable connection to the supply, is filled with water. The safe, which may be of any desired variety, is shown through the broken away portion of the door, and is firmly held in position by jackscrews set up between it and the inside of the case.

The mechanism for opening the door consists of the rack A, attached on the inner side, in which works the pinion B, on the shaft C. This shaft is held in bearings in the sides of the case and is turned by means of the crank shown. The outside end on which the handle fits projects in a recess so that it is flush with the exterior of the wall and may be of any peculiar or contorted shape so as to render an ordinary handle inapplicable. On the shaft just inside of the casing is a disk, D, on which are a number of pins, which, when the shaft is rotated, strike in succession and so raise a lever which is suitably connected with the gong, E, causing the latter to sound and thus act as an alarm.

At the left of the drawing is represented the supply pipe and valve, in a groove on the rim of the wheel of which is wound a small chain which passes over the pulley F, and sustains the weight G. As it is designed that, when in ordinary use, the casing shall not be filled with water, this apparatus is an ingenious means of admitting a supply automatically whenever necessity arises. The weight is sufficiently heavy to turn the wheel and so open the valve, but is prevented from so doing by the piece of common string H. In case of fire, however, this cord is at once consumed and the weight, falling, causes a constant supply of water to be admitted. Suitable vents may be provided to relieve the steam pressure due to intense heat. The water cannot rise to a temperature beyond 212° Fah, and as this is necessarily far below that which the interior safe is capable of withstanding, the protective qualities of the latter are greatly enhanced. The portability of this device will render it superior to the similar method lately suggested, and in some localities practiced, of placing the safe in a permanent brick vault made with water connections.

Patented October 1, 1872. For further information relative to the sale of the entire right, etc., address the inventor, Mr. James W. Brook, Lynchburgh, Va.

## About Walking.

A gentleman who lately made a pedestrian tour, from Portland, Oregon, to San Francisco—some eleven hundred miles—gives the following particulars relative to the experiences of his party:

Before starting, I was strongly urged to wear shoes ("English walking shoes") and my own prejudices were in their favor, but careful deliberation told me of the fearful dust to be encountered, following, as we would have to, most of the way, a thoroughly traveled road that had not seen rain for months, and also of the necessity of having to take boots or shoes off many times each day to bathe the feet. This decided me in favor of high top boots, the wisdom of which I had no occasion afterward to doubt. The pants were also protected from the dust by being worn inside of them. The feet can be saved much irritation and many blisters by the use of insoles (boots or shoes having been made large enough to admit them). The greater friction between an easy fitting boot and the foot is at the fore part of the front foot. Every time the heel raises, the relative position of the foot and the sole of the boot must change, causing great friction, as the entire weight of the body is upon the foot at the time of change between foot and boot. An insole, if a trifle shorter than the boot, will take much of this friction from the foot, as it must then take place, to a great extent, between the insole and sole of the boot. A second insole will relieve the foot still more. They will also furnish the additional advantage of relieving the feet when much swollen, by taking them out. No matter how toughened the feet become, they will blister very readily if rapid walking is persisted in, say for three or four hours, while, at a pace that is not unduly exhausting the system, they will not feel the slightest discomfort.

We practiced bathing feet, hands, and heads very often, say from three to six times a day, when water was found, and when we were tired and exhausted it would have a very exhilarating effect.

Rapid walking, "spurts," at the rate of four miles an hour, of two or three hours duration, or long marches, say twelve miles or more, without a halt, is very exhausting. If indulged in, in the early part of the day, it will incapacitate one for the balance of the day, or if at the close of the day, its effects will be felt the following day. The same will apply to ascending high hills or mountains. Movements in such instances should be sufficiently moderate to

avoid getting into a "pud" or perspiration, more than when moderately walking on the level.

The Graham crackers, upon which we principally existed, were baked hard and dry like sea biscuit, and we found it necessary to moisten and soften them before eating, and we resorted to the use of boiling hot water, breaking the crackers into it, and allowing them to absorb all the water they would. The hot water seemed so grateful to us that we soon fell into the way of taking it freely, and were often astonished at the quantity we consumed. Its use did away with much of our thirst while walking, and was beneficent in all of its effects. I venture the assertion that there is a virtue in the use of hot water, where great exertion is to be endured, that is not generally understood. By hot water I

C, so as to prevent the same becoming clogged by the clothes, and also serves as a handle. Attached to the lower side of the plate, and surrounding the abovementioned aperture therein, is a slotted tube or tubular frame, F, in which is placed a ball, which is retained from falling out by wire or other suitable means. Lastly, the apparatus is closed by a cover fitting tightly into the mouth of the boiler, B.

In using the device, the plate, C, with its attachments, is removed, and a quantity of soap and water is placed in the bottom of the boiler, A. The plate is then fixed in position, the clothes put in, and the apparatus set over the fire. As the water becomes heated, the steam raises the ball, which thus closes the bottom orifice. The water and steam are then forced up between the walls, thence through the perforations in the sides of the inner boiler, and so pass laterally and at the same time, entering through holes above the clothes, percolate through the garments. This invention has the merits of both ingenuity and simplicity, and will doubtless prove a useful convenience in the laundry.

Patented through the Scientific American Patent Agency, Nov. 19, 1872. For further particulars address Mr. W. C. Putt, Ludlow, Champaign Co., Ill.

## Man Engines.


For the purpose of lifting the miners out of deep mines without the use of rope and kibble, man engines were invented 40 years ago by Bergmaster Dörrell, of Clausthal, in the Upper Harz, when he used two pump rods, which, side by side, went up and down a shaft, and fixed to them small platforms and handles at all those points of the rods which came opposite after every stroke. So, by simply changing his stand after each stroke, from one rod to the other, a man would be lifted up to the surface without any exertion. This ingenious system, says a correspondent of *Engineering*, was soon imitated in other parts of Germany, Belgium, France, and England, and generally special machinery was designed to drive these man engines. At the deep silver lead mines of Příbram, in Bohemia, since 1854, in the Maria shaft, a direct acting man engine, with two steam cylinders and catract reversing gear, has been employed, both rods being connected by

chains which run over pulleys; the great wear and tear of the latter, however, the great pressure of steam required, the inequality of the engine stroke when differently loaded, and other inconveniences, caused this direct acting engine to be abandoned and replaced by another indirect acting man engine in the Anna shaft. This latter was constructed so as to transmit the up and down motion from a rotating crank by two pump crosses—by the bye, exactly the same principle which was originally employed by the inventor. This system is now quite successful at Příbram, and a small condensing steam engine, working expansively, is quite sufficient to work it with the greatest safety and regularity, a brake attached to the flywheel controlling the engine with certainty, whenever required. The engine reaches a depth of 400 fathoms, and 3,000 men go up and down it daily, in about 9 hours (3 hours for each shift); it makes four to five strokes per minute of 10 feet each, requires 6.2 to 6.9 lbs. of coal per hour, and per effective horse power, and costs from 2s. to 2s. 3d. per horse power in 24 hours. Quite recently the old engine in the Maria shaft has been also replaced by a similar one, only the stroke of the rods has been increased to 12 feet.

## Centrifugal Drying Machine.

MM. J. Decondin and Co., of Paris, have, according to the *Engineer*, invented a new type of centrifugal machine, which presents certain advantages. The employment of such machines has, as is well known, been largely extended in dyeing operations, in sugar factories, and generally in all industries where it is desired to express liquids from solids. They consist of cylinders pierced with holes to receive the material from which more or less moisture is to be extracted. The cylinders revolve at very high speeds on vertical shafts, and the centrifugal force drives out the liquid. The machines in general use are open to objection, on account of the trouble they give the workmen from mechanism placed above the cylinder. In the apparatus of MM. Decondin this objection is removed. The following particulars relating to its construction are extracted from the *Annales Industrielles*: The cylinder carries in its center a vertical tube, closed at the upper end, the level of which corresponds with the top of the cylinder. This tube rests at the end on a fixed axis, upon which the whole revolves. The cylinder is thus placed in a condition of stable equilibrium. A pinion, fastened to the central axis, is connected to the bottom of the cylinder, and movement is communicated to this pinion through a pair of horizontal toothed wheels, of a vertical shaft, some bevelled gearing, and driven by hand or off a pulley. The price of the apparatus, including cover, etc., varies from £10 to £32.

REMARKS.—The above is one of many examples of the adoption of American improvements in Europe. The idea of removing the mechanism from above the machine, out of the way of workmen, suspending and driving the dryer from below, was patented in this country several years ago, and dryers working in this manner have long been in operation here.—Eds.



BROOK'S EFFECTUAL SAFE PROTECTOR.

mean water that has been made to boil and then taken as hot as it can be borne; tepid water is unpalatable.

In our preparations, it was proposed that we carry sun umbrellas. I did not second the proposition, believing their use would not compensate the trouble of carrying them; I yielded, however, and subsequent experience convinced me of their great value to us. Our estimate was that we could perform one fourth more with than without them, whenever the temperature was above 90°.

## PUTT'S WASH BOILER.

The steam clothes washer herewith illustrated consists of an outer boiler, A, and an inner boiler, B, securely soldered together at their upper edges. The boiler, B, as shown

Fig. 1





Fig. 2




through the broken away portion in Fig. 1, is constructed smaller in size than the boiler, A, so that a suitable space is left between the two. The inner receptacle is perforated with a number of holes, which gradually increase in size, those nearest the top being the largest. Through the middle of the bottom is made an aperture, which is covered by the plate, C, shown more clearly in section in Fig. 2. This plate is held in strips, D D, one of which is wider than the other, so that the plate may be applied and removed by slipping its edge so far beneath the wider strip that its other edge may be inserted and withdrawn past the edge of the narrower strip. The piece, E, is used to cover an orifice in the plate,



## AMATEUR'S JIG SAW.

We illustrate herewith an ingenious form of jig saw, designed especially for amateur use. It is portable and readily attached to a carpenter's bench or an ordinary table, by means of the screw clamp, as shown. The cast iron arm terminates in the guide, D, in which works the spindle to which the upper end of the saw is attached in the ordinary adjustable manner, its lower extremity being similarly held in the guide underneath the table. A constant tension of the blade is maintained by the bent springs, E and F. Motive power is communicated from the treadle, which may be attached, at any convenient point on the floor, to a rod which forms a sleeve for a smaller rod, which is connected with the crank of the large wheel, A. The object of making the rod in two portions is that it may be adjusted to suit any height of table and afterward held in position by the set screw at H.



Around the circumference of the wheel, A, is placed a covering of leather, by the friction of which the pulley, B, and the fly wheel connected therewith are actuated. By means of the pitman, as shown, motion is transmitted to the saw. G is an adjustable metal foot designed for holding the work in place while being operated upon.

The machine is both simple and durable in construction, and, as a means of developing a mechanical taste in the young, will prove both a useful and instructive gift. It will readily cut out brackets, book racks, and other ornamental articles, and thus may be used for profit as well as for amusement.

Patented through the Scientific American Patent Agency, July 23, 1872. For sale of rights, agencies, and for other particulars, address the inventor, Mr. Samuel N. Trump, or Mr. C. N. Trump, machinist, Port Chester, N. Y.

## GOVERNMENT TELEGRAPHY.

The *Telegraphic Journal* is the name of a new monthly periodical lately established in London, of which the first number is now before us. It is printed in magazine form, and contains much valuable matter relating to telegraphy. In England, as our readers are probably aware, the telegraphs are now owned and worked by the government. A bill is now before Congress intended to effect the same thing in this country. It is therefore interesting to know how the plan of government telegraphy works, practically, in Great Britain. On this subject our new cotemporary, the *Telegraphic Journal*, says that, in theory, it is good to have the government own the telegraphs, but in practice it is bad. It takes a longer time to send messages than formerly. The man who expects, in England, to send a message fifty miles by telegraph quicker than he can send it by railway, is generally disappointed.

## Labor Strikes in England.

Recent telegrams from England bring the news of the strike of five hundred of the stokers employed by the London gas companies. This is but a continuation of the uprisings which are disturbing the industries of Great Britain and which evidence the unsettled state of the labor question in that country. Policemen, and employees of the civil service and of the post office have in turn attempted to obtain increased wages by organized resistance, and now the stokers have followed their example, to the great inconvenience of a large portion of the inhabitants of London. The city has been at

night in a state of partial darkness, and several of the theaters were compelled to omit their performances. Large numbers of the disaffected workmen have held meetings and processions, and many have been arrested and imprisoned under charges of conspiracy.

The probabilities are that this, as was the case with the preceding strikes, will result in the defeat of the laborers, but which ever way the conflict ends, it is plainly evident that a readjustment of the system of work and wages in England is fast becoming a necessity which that country can ill afford to neglect.

## Facts concerning Bees.

When the queen bee is forcibly taken away from the hive, says the *American Bee Journal*, the bees which are near her at the time do not appear sensible of her absence, and the labors of the hive are carried on as usual for a time. It is seldom before the lapse of an hour that the working bees begin to manifest any symptoms of uneasiness. They are then observed to quit the larvae which they had been feeding, and to run about in great agitation to and fro; and on meeting with such of their companions as are not yet aware of the disaster which has befallen them, they communicate the intelligence by crossing their antennae and striking lightly with them. The bees which receive the news become in their turn agitated, and spread the alarm further. All the inhabitants now rush forward, eagerly seeking their lost queen. But, finding search useless, they appear to become resigned to their misfortune, the tumult subsides, and if there are worker eggs or young larvae in the cells, preparations are made to supply the loss by raising a new queen, and the usual labors of the hive are resumed.

For feeding bees: Take at the rate of five pounds of refined or white sugar, two gallons of soft water, one tablespoonful of salt, ten grains of cream tartar; put all together, bring to a boil, skim and, when cold, add eight ounces pulverized slippery elm bark, or fine oat meal, stir it well, then feed in the hive. During the summer, use but four pounds of sugar.


Italian bees gather much larger stores of honey than the black bees. Dzierzon, the great German apiarian, after many years experience, says that the profits of his apiary have been doubled since their introduction. They are also much more peaceable than the black bees.

## Artificial Volcanoes.

M. Hochstetter has made, at Vienna, an experiment which imitates on a small scale the eruption of volcanoes. It is based on the property, possessed by sulphur when melted under the vapor of water having a pressure of three atmospheres, to absorb a certain quantity of the water, which afterwards escapes in the form of vapors during the cooling. In operating on a quintal of sulphur, a superficial crust formed, an opening being made in which, pieces of sulphur emerged, accompanied with explosions and puffs of vapor. At the end of an hour it formed a cone, having a diameter of from 30 to 50 centimeters at the base and about 8 centimeters in height, exactly resembling the volcanic cone resulting from the successive accumulations of lava streams.

## IMPROVED RAILROAD SPIKE.

The invention herewith presented furnishes two improved forms of railway spikes, one for holding the rail to the tie, and the other for bolting down the chair. The engraving shows the construction of the device so clearly that but little explanation is necessary. The shape of the head of the rail spike, Fig. 1, is such as to afford a large holding surface, while the lower portion, being gradually widened, is well adapted to clinch in the wood, bending the fiber downward so that there is no liability of the bolt working loose. The




chair spike, Fig. 2, is made with a round head, and, being otherwise constructed on a similar principle to that above described, it possesses the same advantages. The practical utility of the invention is plainly evident, and as its expense is necessarily no greater, it will doubtless be preferred to the straight and less effective spike now in use.

Patented Nov. 12, 1872. For further information address Henry Stibbs, 25 North Paca street, Baltimore, Md.

## DAYTON'S GAS CARBURETTER.

This invention, illustrated in section in our engraving, is one of the best forms yet devised for carburetting ordinary street gas, and thus causing an economy in its use, both by increasing the illuminating power and largely diminishing the rate of consumption. The apparatus, the simplicity of the construction of which is clearly indicated in the engraving, affords a means of combining the gas, as supplied in the mains, with the vapor of a low distillation of petroleum, a heavy product, and not the light gasoline ordinarily employed in air gas machines.

Entering in the direction of the arrow, and passing down the tube, A, the gas flows through the interior pipe, B, which fits loosely in the larger tube; thence it descends into the conical deflector, by which it is brought in contact with the vapors arising from the hydrocarbon. The liquid, D, is poured into the receptacle through the opening at F, and supports a



peculiarly shaped float, C, which is attached to the deflector. It is evident that, as the level of the distilled product is lowered, the float descends, carrying with it the deflector and pipe, B, so that every portion of the liquid will be completely utilized. The gas, after being enriched with the vapors, arises in the direction of the arrows, between deflector and float, into the body of the apparatus, and finally makes its exit by the tube, E.

It will be noticed that the gas does not pass through the hydrocarbon, but is deflected so near to its surface as to become thoroughly impregnated. That this method is practically successful, repeated tests have well demonstrated. Experiments conducted in our presence, using the same burner, and comparing the light obtained by street gas with the same after passing it through the machine, indicated not only a plainly increased light, but the meter showed a direct saving of some forty per cent in the quantity of gas burned. As the cost of the material used is quite small, the system must necessarily insure a great economy. The inventor states that he has determined by actual practice that two barrels of the liquid will supply twenty burners for one year, and that forty-five gallons produces 10,000 feet of excellent gas. The apparatus can, of course, be made of any size, to hold either a small amount or several barrels; it is well protected by casing and by safety gauze at every outlet.

In order to determine exact data relative to the increase of light obtained, Professor Henry Wurts, of this city, a well known expert in such matters, communicates to us the following results of experiments: He considers the invention both simple and cheap in construction, and in his report states that the tests were made on the gas of the New York Gas Light Company, the value of which, as supplied in the city mains at 12 o'clock meridian, was found to be 17.55 sperm candles for five feet burned per hour. The device above described converted the same gas to a power of 33 candles for the same volume per hour.

Patented Oct. 8, 1872. For further particulars address the inventor, Mr. H. G. Dayton, Maysville, Ky.

THERE are, at present, three submarine telegraph cables between America and Europe. A new cable is soon to be laid by the French company, and still another by the Great Western Telegraph Company, making five in all. The total amount invested in all these cables will be thirty millions of dollars.



## PATENT OFFICE DECISIONS.

## Improvement in Stove Pipe Elbows.

LEGGOTT, Commissioner.

The applicant seeks a patent on his device as a new article of manufacture. He takes a stove pipe elbow, after it has been finished, and dips it into a vat of molten solder. The references show that buckets, water pipes, etc., were before made and prepared in exactly the same manner as applicant's device is prepared. It is preposterous to suppose that the mere application of this coating metal to an article so analogous as a sheet metal stove pipe possesses any element of novelty or indicates any exercise of the inventive faculty. One man discovers that he can take a water pipe, dip it into molten solder, and thereby coat it and protect it from corrosion. He makes application and obtains a patent for the same. Another man makes a stove pipe, coats it in the same manner and by the same process, and claims a patent for the same. If this second can be granted, then there is no reason why fifty thousand patents may not be granted for coating in the same manner fifty thousand different articles of manufacture. The simple aspect of the case is sufficient to answer it without further examination.

It was never the design of the patent law to grant a separate patent on every possible application of a process. To do so would be a fraud upon inventors and the public.

The decision of the Examiners-in-Chief, rejecting the application, is affirmed.

## Perforated Sheet Metal Pipe.

APPEAL OF HALL AND HALL.

LEGGOTT, Commissioner.

Applicants claim "a perforated sheet metal pipe, constructed substantially as and for the purpose described." This pipe is to be used, in connection with manufacturing establishments, for the purpose of extinguishing fires. It is extended along the ceiling of a factory, and water being forced into it by suitable apparatus with which it is connected, makes its exit through the perforations, and is distributed beneath like rain or spray. This general device is old, as shown by the references. If the applicants were the first to produce sheet metal water pipes, or if they were the first to make smooth holes in them, or if they had discovered a new process of making smooth holes, they would have good ground for a patent. As it is they have no ground, for they have made no invention. They have, doubtless, been misled by supposing that, in the process of manufacturing, the stage at which they make their holes, whether before or after forming the pipe, has anything to do with conferring upon the pipe itself, as a finished article, the element of novelty.

The decision of the Board, rejecting the application, is affirmed.

## Improvements in Rolling Mills.

APPEAL OF JOSEPH L. PENNOCK.

LEGGOTT, Commissioner.

The object of applicant's invention is to convey a pile from the bed of a heating furnace to the rolls of a rolling mill. He accomplishes it by means of power-driven hauling mechanism, which withdraws the heated pile from the furnace and deposits it on a platform of a crane that swings it round and delivers it to the rolls. It is shown by the Examiner and illustrated in applicant's argument that similar mechanism has been employed to drag the pile from the furnace on to a platform of a truck which delivers it to the rolls. Applicant has substituted a crane for the truck in this case. But, as is well known, cranes are in common use for conveying heated piles to be forged and rolled. In substituting the crane applicant has effected a saving, and in the details of his device has exhibited invention. It is not, however, of a very comprehensive character, in view of the references, and I think does not justify a claim so broad as the one under consideration. It is, in my opinion, fully comprehended in the second claim, which has been allowed.

The decision of the Board is affirmed.

## DECISIONS OF THE COURTS.

## United States Circuit Court, District of New Jersey.

WELLS vs. GILL et al. SAME vs. YATES et al.

## Wells' Patent for Manufacturing Hat Bodies.

This was a motion for a provisional injunction in a suit in equity brought by Eliza Wells, administratrix of the estate of Henry A. Wells, deceased, against John Gill and George H. Yates, for alleged infringement of letters patent for a machine for making hat bodies, the original patent having been granted to Henry A. Wells, April 25, 1866, and the renewal, under which the suit was brought, bearing date May 19, 1868.

The main question involved, besides that of infringement, was the effect to be given to a judgment in favor of the patent previously rendered in the trial of an action at law in the Circuit Court for the Southern District of New York; it appeared that such judgment had been taken up by a writ of error to the Supreme Court of the United States, and that the cause was still pending before that tribunal.

The motion was heard by Mr. Justice Strong, of the Supreme Court, and his honor, Judge Nelson.

In connection with the above there was argued a similar motion in the suit of *Eliza Wells, administratrix, et al. vs. Yates, Phoenix & Yocom*; the questions involved in the two motions being the same.

The opinion of the Court was delivered by Mr. Justice Strong, holding that the complainant is entitled to an injunction. But, in view of the fact that the judgment in the Circuit Court of New York may be reversed, an injunction should be withheld if the defendants give security for the payment of the profits they may derive from the use of the invention, and for the damages their use may cause to the complainant. Bond to be given in the penal sum of \$50,000.

The same order in the case of *Wells vs. Yates et al.*  
*E. J. Dickinson* for complainant.  
*Boule & French* for defendants.

## Supreme Court of the United States.

THE GORHAM MANUFACTURING COMPANY, appellant, vs. GEORGE C. WHITE.

## Design Patents.

Appeal from the Circuit Court of the United States for the Southern District of New York.

The complainants are the owners of a patent, granted on the 16th day of July, 1861, to John Gorham, Gorham Thurber, and Lewis Dexter, Jr., for a new design for the handles of table spoons and forks, and their bill charges that the patent has been infringed by the defendant. The validity of the patent is not denied, nor is it controverted that the defendant has sold spoons and forks which had upon them designs bearing some resemblance to the design described in the complainants' patent. But it is contended that none of the designs on these articles thus sold are substantially the same as the design covered by the patent, and that they are all independent of any thing secured to Gorham, Thurber, and Dexter, the patentees.

Mr. Justice Strong delivered the opinion of the Court, holding as follows:—

The acts of Congress, which authorize the grant of a patent for designs, contemplate not so much utility as appearance; and the thing invented or produced for which a patent is given is that which gives a peculiar or distinctive appearance to the manufacture or article to which it is applied.

It is the appearance of the eye that constitutes mainly, if not entirely, the contribution to the public which the law deems worthy of recompense, and identity of appearance or sameness of effect upon the eye is the main test of substantial identity of design.

It is not essential to identity of design that the appearance should be the same to the eye of an expert. If, in the eye of an ordinary observer, giving such attention as a purchaser usually gives, two designs are substantially the same, if the resemblance is such as to deceive such an observer, and sufficient to induce him to purchase one supposing it to be the other, the one first patented is infringed by the other.

## COMMUNICATIONS RECEIVED.

The Editor of the SCIENTIFIC AMERICAN acknowledges with much pleasure, the receipt of original papers and contributions upon the following subjects:

On an Improved Conservatory. By F. W. P.

On Instinctive Marriage. By W. T. R.

On the Darwinian Theory. By M. R.

On the Wheel Question. By J. A. B., and by J. B. J.

On A Means of Saving Life in Case of Disasters at Sea. By F. H.

On a Geometrical Problem. By O. W. G.; also by M. F., and by G. B. L.

On Self Propelling Fire Engines. By F. G. W.

On the Injury of Trees by Lightning. By F. S. R.

On a Recent Boiler Explosion in Ohio. By J. A. W.

On a New Method of Feeding Canals. By B.

On Human Antiquity. By D. K.

On Insensibility. By E. H. R.

On Perpetual Motion. By I.

On the August Meteoric Display. By J. B.

On the Separation of Ramie. By M.

On Terrestrial Heat. By W. L. W.

To Investors.—We are selling at par and interest, and recommend to careful investors, the First Mortgage Seven Thirty Gold Bonds of the Northern Pacific Railroad Co. The special attention of investors is called to the ample land security on which these bonds rest, in addition to the usual guaranty of a first mortgage on the road, its equipments and earnings. The lands of the company thus far sold have realized \$5.50 per acre. The grant averages about 25,000 acres per mile of road. JAY COOKE & CO.

Facts for the Ladies.—Mrs. G. A. Blanchard, Raymondville, N. Y., has used her Wheeler & Wilson Lock-Stitch Machine in tailoring since 1866, and it is as good as new; has done the sewing for a family of seven persons, attended to her household duties, and earned \$300 a year; says that any one owning a Wheeler & Wilson Lock-Stitch Machine can earn a respectable living. See the new Improvements and Woods' Lock-Stitch Ripper.

## Business and Personal.

The Charge for Insertion under this head is One Dollar a Line. If the Notice exceed Four Lines, One Dollar and a Half per Line will be charged.

Capitalists, a rare chance! A valuable new Patent, useful in every household, easily manufactured, for sale. Only Capitalists who mean business need address J. L. Field, North East cor. 17th and Market Street, Philadelphia, Pa.

Wanted—A new or second hand steam or tilt hammer, adapted for welding or forming scrap and puddled iron balls or blooms. Tilt hammer must be operated by belt easily and economically. Address W., Box 1971, P. O., New York.

Painters and grainers now do their best graining quickly with perforated Metallic Graining Tools. Address J. J. Callow, Cleveland, Ohio.

Machine Shop Wanted—To hire or purchase near New York City. Address "B," Box 877, New York P. O.

Wanted—Second Hand Engine, about 16x20, and 3 Tubular Boilers, 12 ft. by 3½ or 4 ft. Address East Saginaw, Mich., Drawer 128.

Wanted—An energetic, competent man as foreman in Handle Factory. Wolverline, Niles, Mich.

For Sale—One Iron Planer with tools and attachments, used only three months; planes 8 ft. long, 3 ft. sq. J. R. Abbe, Manchester, N.H.

American Boiler Powder, for certainty, safety, and cheapness, "The Standard anti-incrustant." Address Am. B. P. Co., P. O. Box 797, Pittsburgh, Pa.

For Circular of Surface Planers and Patent Mitre Dovetailing Machines, send to A. Davis, Lowell, Mass.

Langdon Adjustable Mitre Box, with 18, 20, 23 or 24 inch Back Saw. Address D. C. Rogers, Treasurer, Northampton, Mass.

Scale in Boilers. I will Remove and prevent Scale in any Steam Boiler, or make no charge. Send for circular. Geo. W. Lord, Philadelphia, Pa.

Magic Lantern Slides at 50 cents! Choice American, Foreign and Miscellaneous Views. Send for catalogue. Wm. R. Brooks, Phelps, N.Y.

Flour Barrel Machinery Wanted—The best Crozier and Chamberlain Machine—A Machine to Shave flat hoops—A Labor-saving Truss Machine—The most practical form to set barrels up, that does not require skilled labor. Address P. O. Box 2333, Buffalo, N. Y.

A Valuable Patent for Sale or worked on royalty, is perfect and simple in its construction—will give entire satisfaction on first sight. Address J. M., Leggett's Hotel, 43 Chatham Street, New York City.

Sewing Machine Needle Machinery, Groovers, Reducers, Wire Cutters, &c. &c. Hendey Bro's, Wolcottville, Conn.

Patent Steel Measuring Tapes, manufactured by W. H. Paine Greenpoint, N. Y. Send for Circular.

Gauges, for Locomotives, Steam, Vacuum, Air, and Testing purposes—Time and Automatic Recording Gauges—Engine Counters, Rate Gauges, and Test Pumps. All kinds fine brass work done by The Recording Steam Gauge Company, 91 Liberty Street, New York.

Steam Engines, Boilers and Pumps, Locomotives and Cars—New and Second Hand. Dulles & Co., 424 Walnut St., Philadelphia, Pa.

Ross Bro's Paint and Grain Mills, Williamsburgh, N. Y.

For Sale, two Patents. Address H. S. Ball, Spartanburg, S.C.

Dobson's Patent Scroll Saws make 1100 strokes per minute.

Satisfaction guaranteed. John B. Schenck's Sons, 118 Liberty St., N. Y.

Agricultural Implements and Machines for Fall and Winter use. B. H. Allen & Co., 199 & 121 Water Street, New York.

The Berryman Manuf. Co. make a specialty of the economy and safety in working Steam Boilers. L. B. Davis & Co., Hartford, Conn.

First Class Steam and Vacuum Gauges, Engine Registers, Davis' Recording Gauges. New York Steam Gauge Co., 40 Cortlandt St., N.Y.

Kahnweiler's Cotton Seed Huller, \$175. Is warranted perfect in its operation. Send stamp for circular to B. H. Allen & Co., New York, manufacturers and dealers in Agricultural Machinery of every kind.

Steam Boiler and Pipe Covering—Economy, Safety, and Durability. Saves from ten to twenty per cent. Chalmers Spence Company, foot East 9th Street, New York—129 N. 3d Street, St. Louis.

Peck's Patent Drop Press. Milo Peck & Co., New Haven, Ct.

For 2, 4, 6 & 8 H.P. Engines, address Twiss Bro., New Haven, Ct.

Diamond Carbon, of all sizes and shapes, furnished for drilling rock, sawing stone, and turning emery wheels or other hard substances, also Glazier's Diamonds, by John Dickinson, 64 Nassau St., New York.

Four Brick Machines, Combined with Steam Power (Winn's patent), makes 40 M. per day, for sale at a bargain. Address the manufacturers, John Cooper and Co., Mount Vernon, Ohio.

Absolutely the best protection against Fire—Babcock Extinguisher. F. W. Farwell, Secretary, 407 Broadway, New York.

Hydraulic Jacks and Presses—Second Hand Plug Tobacco Machinery. Address E. Lyon, 470 Grand St., New York.

Steel Castings "To Pattern," from ten pounds upward, can be forged and tempered. Address Collins & Co., No. 212 Water St., N. Y.

Heydrick's Traction Engine and Steam Plow, capable of ascending grades of 1 foot in 3 with perfect ease. For circular and information Address W.H.H. Heydrick, Chestnut Hill, Phila.

The Berryman Steam Trap excels all others. The best is always the cheapest. Address L. B. Davis & Co., Hartford, Conn.

T. R. Bailey & Vail, Lockport, N. Y., Manf. Gauge Lathes.

Williamson's Road Steamer and Steam Plow, with Rubber Tires. Address D. D. Williamson, 32 Broadway, N. Y., or Box 1920.

Belting as is Belting—Best Philadelphia Oak Tanned. C. W. Army, 301 and 303 Cherry Street, Philadelphia, Pa.

Boynston's Lightning Saws. The genuine \$500 challenge Will cut five times as fast as an ax. A six foot cross cut and bush saw, \$6. E. M. Boynston, 90 Beekman Street, New York, Sole Proprietor.

For Steam Fire Engines, address R. J. Gould, Newark, N. J.

Brown's Coal Yard Quarry & Contractors' Apparatus for hoisting and conveying material by iron cable. W.D. Andrews & Bro. 414 Water St. N. Y.

For Solid Wrought-iron Beams, etc., see advertisement. Address Union Iron Mills, Pittsburgh, Pa., for lithograph, etc.

All kinds of Presses and Dies. Bliss & Williams, successors to Mays & Bliss, 113 to 123 Plymouth St., Brooklyn. Send for Catalogue.

Mining, Wrecking, Pumping, Drainage, or Irrigating Machinery, for sale or rent. See advertisement, Andrew's Patent, inside page.

Presses, Dies & all can tools. Ferracute Mch. Wks, Bridgeton, N.J.

Machinists; Illustrated Catalogue of all kinds of small Tools and Materials sent free. Goodnow & Wightman, 25 Cornhill, Boston, Mass.

Gatling guns, that fire 400 shots per minute, with a range of over 1,000 yards, and which weigh only 125 pounds, are now being made at Colt's Armory, Hartford, Conn.

A New Machine for boring Pulleys, Gears, Spiders, etc. etc. No limit to capacity. T. R. Bailey & Vail, Lockport, N. Y.

The Berryman Heater and Regulator for Steam Boilers—No one using Steam Boilers can afford to be without them. L. B. Davis & Co.



SPECIAL NOTE.—This column is designed for the general interest and instruction of our readers, not for gratuitous replies to questions of a purely business or personal nature. We will publish such inquiries, however, when paid for as advertisements at \$1.50 a line, under the head of "Business and Personal."

ALL references to back numbers must be by volume and page.

R. and A. say:—Is it possible to bring such an intense degree of heat upon a leaden pipe, say ½ inch, that the heat would melt the pipe? provided a continuous stream of water runs through the pipe? Is it possible to melt a pipe at all under those conditions? Answer: Yes. It is possible to melt a lead pipe under the circumstances you mention. One method of doing so would be to girdle the pipe with a platinum wire, heated to white heat by galvanic battery. It would quickly melt the pipe through.

W. B. asks:—At how many strokes per minute would it be most economical to run an engine the cylinder of which is fourteen inches and the piston stroke thirty inches? I am running it at 60 strokes per minute without a cut-off. I have plenty of steam, but do not get power enough at 60 strokes. Answer: Your engine, if of 14 inches diameter of cylinder and 30 inches stroke of piston, well made and well taken care of, ought to run without difficulty up to a speed of 80 revolutions a minute. If as carefully proportioned as the Allen engine, it would work well at double that speed, but it is improbable that you will succeed in going above our figure, just given.

S. says:—I am a fireman on a locomotive, and while running I notice that the indicator on the steam gauge points to one hundred and twenty. While the engine is at rest and the boiler cold, the indicator points to ten; what is the actual steam pressure? Answer: We cannot tell you. The only way to determine it is to test your gauge by comparison with a standard. Probably your pressure is between 110 and 120 when indicating the latter figure. Test it if you would be safe.

G. S. says:—How can I cheaply and simply generate a gas so irritating as not to be borne by air breathing animals? Answer: The gases generated by the burning of tobacco will perhaps answer your purpose. Florists use the weed to destroy insects on plants.

C. H. G., of N. Y., says:—We have just completed a reservoir to supply our city with water, which has about 250 feet fall. The water is pumped from the river, to the top of College Hill where the reservoir is located, by powerful engines, so that we shall have a plentiful supply for years to come. When the project was first proposed, it was mentioned as an inducement that those requiring a small amount of power (there are quite a number here) could use it more economically by various water motors than they could steam power. Other cities were quoted as an example. But now when we have water in plenty, all are afraid to try, some saying that it will cost too much, others that we have not water enough, and all hang back waiting for somebody to make a start. I wish to ask: What diameter would a turbine wheel require with 250 feet fall, and how many gallons water would it use per hour, to run two small back geared foot lathes, having 4 foot beds and 12 inch swing, used for light work, and how much would such a wheel cost? From this standard, the probable cost of any requisite power can be obtained. Answer: The smallest and cheapest wheel that you can find in the market will drive your two lathes of 12 inch swing. They will require less than a quarter horse power, and your wheel should use less than 300 gallons of water an hour under such a great head. Write to any good wheel builder.

J. M. F. says:—I enclose a "magical fish;" please explain why it moves when placed on the hand. The motion is not from heat, as it will not move when placed over a warm iron, nor does it move when placed on other parts of the body, say the leg. Are you correct in your answer to F. H. N., page 346, in reference to the report of two guns being heard farther than one? Suppose one man could throw a stone 100 yards. Then place 50 men there, and let them throw. No stone would go over 100 yards, but there would be many more stones in the air. Is it not so with regard to sound? The report of 50 guns would be much more intense within a given circle, but would it be a greater circle than if made by one gun? Answer: It is the warmth with moisture from the hand that causes the thin membrane to expand and contract and thus to wriggle. Your illustration of the throwing of stones does not apply to the throwing of sounds. In the case of the stones each individual exerts his strength on a separate body. But when a number of persons join in simultaneously making sound, they exert their united strength to move the same body, namely, the air; and it necessarily follows that they will unitedly cause the air to vibrate for a greater distance than could a single individual.

J. N. writes as follows:—There is a discussion going on in our shop on the subject of friction, and Morin's experiments have been quoted in support of the theory that friction is proportionable to pressure and independent of the extent of the bearing surfaces when they are of the same quality and not in any way injured. Will you inform us if Morin's experiments were carried far enough, and if they are to be depended on as being reliable? Answer: Morin's experiments are generally considered standard and perfectly reliable. The only difficulty in applying known laws of friction to actual examples arises from the uncertainty of our determination of the limits of pressure which may injure or change the character of rubbing surfaces.

S. M. H., who states that he is a machinist, suggests that street cars may be driven by compressed air, to be carried within suitable cylinders, placed upon the car. Also that canal boats may be propelled by means of traction engines running on the track instead of horses. Both of these ideas are very old, have been frequently and successfully tried and have been repeatedly described in the SCIENTIFIC AMERICAN.

E. O. J. says:—In answer to G. P., who wishes to know the fastest time on record made on any railroad in this country or in England, I would say that in June, 1863, the locomotive Hamilton Davis, on the New York Central Railroad, with six cars, ran fourteen miles in eleven minutes, seven seconds. This is on record.

To J. S. E., query 7, page 298.—From the center of gravity of any triangle let fall perpendiculars on the sides of the triangle. In each of the three quadrilaterals thus formed, one at each angle, inscribe circles, which will be the circles required. (See "To inscribe a semicircle in a right angled triangle," in any geometry).—B., of Mass.



## Recent American and Foreign Patents.

Under this heading we shall publish weekly notes of some of the more prominent home and foreign patents.

**STAVE EQUALIZER.**—Elijah P. Spaulding, of Murfreesborough, Tenn.—A pair of circular saws, preferably mounted on the same arbor, are placed as far apart as the required length of the staves to be cut. A pair of disks mounted on a horizontal shaft, parallel with the shaft in front of it, work between the saws by lapping them back to a place where the attendant who supplies them to the carrier may take them away. The table is capable of swinging up and down to adjust it to the said carrier for having the right inclination to deliver the staves properly, and it may be fastened at any required inclination. Preferably, there will be two pins in each disk, so that they take two staves at each revolution. If the staves are to be sawn off square at the ends, the two disks will be of the same size; but if they are to be beveled for tapered casks, one disk will be larger than the other, so as to present the staves obliquely, and the difference in the size of the two disks will vary as the taper of the cask varies. When the disks are of different sizes, their faces will be correspondingly beveled. Interchangeable disks of the different kinds required will be used for adapting the machine to cut the staves to any required bevel.

**WARPING MILL.**—John W. Fries, of Salem, N. C.—This invention has for its object to so arrange the heck of a warping mill that the yarn wound upon the warp cylinder will not become entangled while being dyed or prepared after its removal from the mill. The invention consists in applying to the heck a vibratory motion, whereby the threads are laid diagonally, so that the threads of the same layers will not be quite parallel and those of overlying thicknesses will cross each other and not be parallel, thus preventing their becoming entangled.

**ROTATING READING TABLE.**—Thomas Cartwright, of New York city.—This invention has for its object to furnish an improved rotating reading table or book support for attachment to circular and octagonal tables that are supported upon a pedestal, and it consists in the rotating arm, adjustable rod, and gas pipe provided with plugs or stopcocks at its ends, stationary or jointed gas burners, and an adjustable book rest, in combination with each other and the pedestal of a table.

**HAND CORN SHELLER.**—Julius O. Fraizer, of Worthington, Ind.—This invention has for its object to furnish an improved hand corn sheller. The base of the sheller is a board, plank, or block, six inches, more or less, in length and breadth, and one inch, more or less, in thickness. To the ends of a U-shaped steel spring, the middle part of which is bolted to the base, are bolted two semi-tubular jaws, having teeth formed upon their inner or concave sides, so that when the ear is forced through the space between the said jaws, the teeth may remove the kernels from the cob, the said jaws being held forward upon the ear by the elasticity of the spring, which elasticity also enables the jaws to adjust themselves to and operate effectively upon ears of different sizes.

**WOOD SCREW.**—John S. Armstrong, of St. John, Canada.—This invention consists in a screw provided with a neck widening from the center toward the circumference, to allow the edge of driver to be pressed up and wedged tightly near the center.

**COTTON PLANTER.**—Henry A. Ridley, Jacksonport, Ark.—This invention has for its object to furnish an improved seed planter, designed especially for planting cotton seed. To the rear end of the beam is attached the body of the planter, which is made somewhat in the shape of the hull of a ship, to adapt it to press open the furrow to receive the seed. Just in front of the body is attached a plow, to open the furrow. Suitable mechanism gives a faster or slower feed as desired, and also keeps the seed stirred up so that it will not clog, and so that it will pass out freely.

**WASHING FLUID.**—Martha A. Sanderson, Fremont, Mich.—The object of this invention is to provide efficient means for lessening the labor of washing clothes, and it consists in a fluid composed of alcohol, camphor gum, aqua ammonia, and a second mixture of hot rain water, sal-nitre, borax and saleratus. When the above two mixtures have stood twelve hours, they are mixed together with rain water in a glass or stone vessel, and kept tightly corked for use.

**RUDDER.**—Richard H. Thomas, Kid's Grove, near Stoke-on-Trent, England.—This invention consists of a rudder of two blades, arranged side by side, one on each side of the axis, and distant from each other so as to allow a solid flow of water between them, being connected at top by a horizontal bar or disk to the axis or shaft. They are also connected in like manner at the bottom to a pivot stepped in the projecting end of the keel, and also divided at or near the middle vertically, and similarly connected by disks or bars to a journal fitted in a block in which the projecting end of the propeller shaft is also journaled, so as to strengthen the rudder and support the propeller shaft.

**APPARATUS FOR CHARGING BLAST FURNACES.**—William A. Miles, Salisbury, Conn.—This invention relates to improvements in the mechanism for charging blast furnaces, and more particularly to the charger for which the United States letters patent No. 130,632 were granted, the 20th day of August, 1872. The present invention consists, principally, in making the sliding bottom plates of the charger inclined on their upper faces, and also in making the stationary upper and lower guides of these plates, or either of them, hollow to admit water or air circulation, and prevent the heat of the furnace from burning them. Finally, the invention consists in the use of friction rollers above and below the sliding plates to facilitate their movement.

**RAILROAD RAIL JOINTS.**—John McLean Staughton, Hiverton, Ky.—This invention has for its object to furnish an improved rail joint, which shall be so constructed as to hold the ends of the adjacent rails level, so that one cannot rise above the other, so that the two ends cannot sink down at an angle with the body of the rails, and which will give the joint greater strength and equal flexibility with the other parts of the rails. It consists in the fish plates made with the fish belly curve upon the middle part of their lower edges, and in the adjacent ends of the rails having their flanges cut away for a less distance than the length of the fish plates.

**NAIL MACHINE.**—Henry Reese, Baltimore, Md.—The invention consists in drawing the end of a heated rod into a round pointed blank between two surfaces that move in reverse directions and with the same velocity; in then shaping said blank with dies; and in a peculiar mode of applying the brushes, shockspring and raised edges on the drawing faces.

**HOSE PROTECTOR.**—Isaac P. Maxwell, Baltimore, Md.—The invention consists in forming a hose jumper in three readily detachable sections.

**STAVE JOINER AND CROSSING MACHINE.**—John McGraw, Ravenswood, West Va.—The invention consists in arranging one or more pairs of single shaped knives to reciprocate over a bearing roll upon which the hoop is fed intermittently, for the purpose of notching the hoop and allowing it to take the bulge necessary in barrels. Secondly, the invention consists in a peculiar mode of intermittently moving the roll, feeding forward the hoop, and then holding it while the said notches are cut.

**COMBINED LADDER AND SCAFFOLD.**—Robert L. Upchurch, Pana, Ill.—The invention consists in constructing an article adapted to be used by painters, carpenters, and others as a scaffold, and to be employed at the sides of walls and corners to serve as an ordinary step ladder when folded, and as a fruit ladder when reversed.

**TURBINE REACTION WATER WHEEL.**—John McGraw, Ravenswood, West Va.—The invention consists in combining with the inner chute of a turbine wheel a series of peculiarly constructed buckets that by their relation to the discharge apertures utilize all the pressure of the water. Secondly, it consists also in providing the chute ring with a vertical circular flange by which great steadiness and uniformity of motion is secured to the wheel. Thirdly, it consists also in placing a gate on the inside of the chute and adjusting it by a reciprocating slide on the outside, whereby the quantity of water admitted may be nicely and easily graduated.

**KNIFE SCOURER.**—Frank O. Harvey, Kansas City, Mo.—The invention consists in making a knife scourer of a trough, a stationary pad block, and a hinged and handled pad block; whereby the labor of scouring is sensibly lessened, while the rapidity of its performance is greatly increased.

**PIPE MOLDING MACHINE.**—Dennis Long, Louisville, Ky.—The invention consists in the application to molding machines of a movable table resting on a foundation plate and provided with one or more seats for the flasks and patterns; in the peculiar form of pattern, which is enlarged at both ends as compared with the turned off intermediate portion; and in the construction of movable seats for the end of pattern and flask. The lower ends of pattern exercise a pressure upon the sides of mold as it is withdrawn, which compacts and condenses the sand.

**SPARK ARRESTER AND SMOKE CONSUMER FOR PASSENGER LOCOMOTIVES.**—Wm. Martien, Baltimore, Md.—The invention consists in arresting the smoke, sparks, and cinders at the top of smoke stack and forcing them by an air draft from front of locomotive down a tube, and into a chamber where the cinders are stopped, while the smoke is carried around and emptied into fire box.

**SPARK ARRESTER AND SMOKE CONSUMER FOR FREIGHT LOCOMOTIVES.**—Wm. Martien, Baltimore, Md.—The invention relates to that special class of locomotives which are used for freight cars, and consists in combining with a hooded smoke stack a bifurcated pipe through which are forced the cinders, sparks and smoke, the two former into cinder boxes prepared to receive them and the latter into the fire box. It also consists in utilizing the cinders to create friction on the track by transferring them to sand box wherefrom they are distributed, upon the track and in front of drive wheels, at the will of the engineer.

**DRIVING GLOVE.**—Edwin V. Whitaker, Gloversville, N. Y.—The invention relates to a new article of manufacture, which is to be used in driving or riding horses or other animals, and which consists of a mitt having the four fingers covered in pairs so that one of the reins will pass as usual between said pairs, while two fingers being in each pocket or envelope will cooperate in keeping one another warm. It also consists in the pattern which is preferably employed for cutting out said mitt.

**AUTOMATIC FEEDING LAMP.**—Dr. Samuel K. Jackson, Norfolk, Va.—The invention consists in automatically maintaining the desired oil level in a beacon lamp by means of hydrostatic pressure applied so as to take advantage of the different specific gravities of oil and water, and so as to cause the water to feed itself and take up the space gradually vacated by the oil. This lamp furnishes a continuous light by night and day for a long period without requiring any attendant to trim or replenish it, and supplies a want which has been long felt by the commercial public. It would seem that this invention must greatly facilitate transit through our bays and harbors since safety will be equally secured for navigation by day or by night and even with comparatively inexperienced mariners. The pilotage also, which has hitherto been regarded as such an onerous burden upon certain classes of vessels, it is calculated, will be sensibly lessened.

**BUTTON.**—Spencer B. Lane, Waterbury, Conn.—The invention consists in forming the perforated head of a button with lips and the shank with a bifurcation, by which they may be connected. The upper end of the shank is forked, to enter with its prongs two apertures in the head of the button or stud. These apertures are formed in said head by punching, but so that no material is removed; consequently, the material between the apertures is turned up to form two lips. After the prongs of the shank are passed through the holes of the head, said prongs are bent apart and clinched upon the button, the pressure upon them also bending the lips over the prongs. The lips serve thus to hold the prongs down upon the head and steady the entire connection of parts.

**WASHING MACHINE.**—Edmund E. Flint, Tonawanda, N. Y.—This invention relates to a washing machine. The suds box of the washing machine is of semi-cylindrical shape, of wood or other material, and supported on stand ards. The rubber is segmental, the rubbing surface being formed by diamond shaped slats or rods. This rubber is attached to the lower ends of vertical slotted bars, whose upper ends are connected by a transverse handle. A shaft serves as the pivot of the rubber when the same is vibrated. A roller bottom is put within the suds box beneath the rubber. In operation the rubber is vibrated by hand, and moves over the roller bottom, the articles to be cleaned being between the rollers and slats. A wash board fastened to the top of the rubber can be used for hand washing by placing the rubber against one end of the suds box.

**PITMAN CONNECTION FOR HARVESTERS.**—William Ferris, Pleasant Plain, Ohio.—This invention has for its object to furnish an improved device for connecting the sickle bar and pitman in reapers and mowers, taking up the play beneath the knife bar and pitman, enabling the wear to be conveniently taken up, and which will greatly diminish the wear and lessen the draft of the machine. It consists in the tapering hole formed through the eye of the sickle bar and the branched ends of the pitman, having a screw thread cut in the said hole in one or both of said branches and the wooden pin, to form a connection between the sickle bar and pitman of a harvester or mower.

**FLY TRAP.**—Addison M. Chapel and James G. Hubbard, Pittsfield, Mass.—This invention has for its object to furnish an improved fly trap. It consists of a cylinder caused to revolve by clockwork mechanism, and which is covered with fly bait. On alighting thereon, the flies are carried into a semi-circular cavity, from which they are by suitable means prevented from escaping. A scraper brushes them off the cylinder into a passage through which they emerge into the cage.

**INDIA INK SLAB.**—Julius Speyer, Terre Haute, Ind.—This invention has for its object to furnish an improved slab, designed chiefly for the use of draftsmen in grinding India ink sticks, and for holding the liquid ink and preserving it from evaporation. It consists in forming a grinding surface and an ink well in the upper side of the slab or block, and a chamber in the under side of the same, in which the stick may be deposited when not in use.

**BOTTLE PACKER.**—Robert T. Fenick, St. Joseph, Mo.—This invention has for its object to furnish an improved device for packing bottles and packages of bottles in sawdust, short shavings, rice husks, etc., and which shall correctly and uniformly regulate the space between the bottles, and between the bottles and the sides of the box in which the bottles are to be packed.

## [OFFICIAL.]

## Index of Inventions

For which Letters Patent of the United States were granted.

FOR THE WEEK ENDING NOVEMBER 27, 1872, AND EACH BEARING THAT DATE.

## SCHEDULE OF PATENT FEES:

On each caveat.....	\$10
On each Trade-Mark.....	\$25
On filing each application for a Patent (seventeen years).....	\$15
On issuing each original Patent.....	\$20
On appeal to Examiners-in-Chief.....	\$10
On appeal to Commissioner of Patents.....	\$20
On application for Reissue.....	\$30
On application for Extension of Patent.....	\$50
On granting the Extension.....	\$50
On filing a Disclaimer.....	\$10
On an application for Design (three and a half years).....	\$10
On an application for Design (seven years).....	\$15
On an application for Design (fourteen years).....	\$30

Aerial navigation, apparatus for, Moy and Shill.....	133,361
Ale, beer, and water cooler, I. Erakine.....	133,362
Automatic hatchway protector, Waring and Wilson.....	133,363
Axle box, carriage, P. R. Stage.....	133,364
Axle box for carriages, etc., lubricating, W. W. Crane.....	133,365
Axle boxes, machine for lining carriage, H. Kellogg.....	133,366
Axle boxes, machine for forming linings for, H. Kellogg.....	133,367

Bake pan, R. D. McDonald.....	133,377
Bale tie, L. Arnold.....	133,349
Bale tie, F. Cook.....	133,412
Bed bottom, invalid, C. A. Tonsley.....	133,309
Bed bottom, spring, A. E. Miller.....	133,339
Bed, sofa, and lounge bottom, R. Jennings.....	133,371
Bee hive, W. R. Clark.....	133,395
Billiard table, W. H. Griffith.....	133,395
Bird cage, E. B. Jewett.....	133,372
Bird cages, feed cup for, G. Gunther.....	133,423
Boom saddle and chafing band for masts, W. T. Griffenberg.....	133,489
Boot crimp, P. Sanders.....	133,399
Boot and shoe burnisher, L. I. Bumpus.....	133,391
Boot soles and uppers, machine for uniting, A. A. Reed, (reissue).....	5,154
Box, C. Storck.....	133,396
Bracelet, A. O. Baker.....	133,391
Brick machine, W. C. Galtier.....	133,429
Bricks, implement for picking up and carrying, R. Bryden.....	133,396
Brush, L. Abbott.....	133,347
Buckle, trace, S. S. Sargeant.....	133,340
Buckle, trace, J. Lindsey.....	133,408
Burner, lamp, L. J. Atwood.....	133,397
Button hook, lacing, D. Heston.....	133,312
Can opener, W. Thomas.....	133,300
Canal boats, propelling, J. A. Sterling.....	133,493
Car coupling, Flower and Graves.....	133,364
Car coupling, E. C. Hubbard.....	133,369
Car coupling, P. Brown.....	133,406
Car coupling, W. A. Dean.....	133,431
Car coupling, W. F. Grassler.....	133,437
Car coupling, C. H. Knowlton.....	133,436
Car coupling, L. B. Wilson.....	133,512
Car seat, G. Buntin, (reissue).....	5,158
Car wheel, H. C. Lockwood.....	133,461
Car wheel, lubricating, W. W. Crane.....	133,418
Car wheel, railroad, D. Frew.....	133,396
Car, railroad bathing, L. Bagger.....	133,394
Car door, grain, J. Bassler, (reissue).....	5,157
Card rack, E. R. McKean.....	133,378
Cards, game of, M. Bradley.....	133,396
Carriage, W. Ottmann.....	133,475
Carriage clips, die for bending, M. Seward.....	133,488
Carriage spring heads, filing, C. B. and G. Gilbert.....	133,483
Chains, machine for making ornamental, J. A. Field.....	133,427
Chairs, rocker fastener for, J. S. Lowry.....	133,494
Churn, M. Lockwood.....	133,462
Clamp and wrench combined, E. Maguire.....	133,323
Clothes washer, F. Read.....	133,486
Corn sheller, hand, T. Weaver.....	133,348
Corn and cob mill, J. H. King.....	133,453
Corpses, device for handling, H. Huber.....	133,447
Cover for coal holes, composition, J. F. Wood.....	133,513
Culinary vessels, pivoted lid for, J. H. McConnell.....	133,398
Cultivator, W. D. Smith.....	133,397
Cultivator, C. Marsh, 3d.....	133,467
Cutter head, T. Long.....	133,469
Deodorizing oils and fats, Loew and Dotch.....	133,522
Disinfecting compound, J. Gamgee.....	133,490
Distilling hydrocarbons, Faucett and McGowan.....	133,425
Door, hanging sliding, G. M. Darley.....	133,389
Dredge box, J. Dalsell.....	133,377
Dredger, T. J. Clepper.....	133,308
Drilling machine, rock, G. H. Pierce.....	133,478
Drum, stove pipe, G. Van Waters.....	133,506
Egg carrier, G. M. Huston.....	133,515
Elevator, sucker rod, Stitts and Dresser.....	133,399
Feather remover, T. J. Adams.....	133,348
Feeding canal, J. G. Brewer.....	133,393
Fence, E. M. Crandal.....	133,394
Fence, iron, T. Rogers.....	133,409
Fence, portable, Westbrook and Clemmons.....	133,410
Filter, water, A. J. Robinson.....	133,408
Fire arm, breech loading, J. M. Whittemore, (reissue).....	5,157
Fire shovel, S. Kyle.....	133,320
Fireproof building, Johnson and Hall.....	133,448
Fly trap, Chapel and Hubbard.....	133,354
Fly trap, A. Velling.....	133,397
Folding chair, Travis and Mahoney.....	133,390
Fork, hand cutting, D. Arnold.....	133,396
Fruit preserving apparatus, J. Cope.....	133,419
Fruit, funnel for canning, S. B. Hertwig.....	133,445
Furnace, hot air, O. Bellman.....	133,390
Furnace, hot air, W. K. Manning.....	133,370
Furnace slag, treating, F. A. Luckenbach.....	133,466
Furnaces, lining for metallurgical and other, J. C. Hill.....	133,446
Gas, manufacturing, J. C. Tiffany.....	133,391
Gear wheels, pattern for curved tooth, R. Oliver.....	133,394
Gimlet, C. L. Griswold.....	133,440
Girder, W. G. Cutler.....	133,396
Glove, T. Kehoe.....	133,319
Glove, J. F. Mason.....	133,376
Grain dryer, C. R. Coe.....	133,410
Grain drill, G. S. Ball.....	133,392
Grain, apparatus for decorticating, S. Dodson.....	133,399
Graining machine, G. Geiger.....	133,311
Grate, stove, H. W. Pell.....	133,477
Hair roll, T. Schlonbick.....	133,491
Harness pad, W. H. Rutan.....	133,398
Harness trimmings, making rubber coated, A. Albright, (reissue).....	5,154
Harrow, Davis and Beagle.....	133,360
Harvester, corn, T. Merrell.....	133,397
Harvester pitman connection, W. Ferris.....	133,393
Harvester cutters, rifle for sharpening, J. R. Clifton.....	133,408
Harvester cutters, sharpening bench for, J. R. Clifton.....	133,409
Harvester binder's attachment, S. Mills.....	133,473
Hatchet, R. H. Thompson.....	133,343
Hinge, trunk and box, B. Hogan.....	133,318
Hoisting machine, J. Ashcroft.....	133,399
Horseshoe sharpener, T. P. Randall.....	133,397
Inkstand, J. G. Lucas.....	133,445
Insect destroyer, C. J. Hauck.....	133,444
Iron into steel by hydrocarbon vapors, making, T. R. Scowden, (reissue).....	5,163
Ironing table, J. M. Crouthamall.....	133,394
Jack, lifting, C. E. and F. A. Randall.....	133,464
Jack, lifting, G. Sweezey.....	133,499
Journal box, G. R. Menecely.....	133,472
Knife and fork cleaner, J. L. Hannum.....	133,367
Ladder and scaffold, combined, R. L. Upchurch.....	133,398
Land roller, J. D. McAnally.....	133,465
Lantern, Pohl and Higgins.....	133,479
Lap board, M. Church.....	133,392
Lathe for turning metal, S. W. Putnam.....	133,468
Lathe for turning spools, L. W. Boynton.....	133,408
Leather dressing, J. N. Baratta.....	133,400
Lemon squeezer, W. A. and J. W. Whitney.....	133,511
Letter box attachment for doors, E. K. Mull.....	133,474
Locomotive engine, J. Lewis.....	133,331
Loom, pneumatic, C. Richardson.....	133,396
Loom for weaving blinds, etc., B. R. Murphy.....	133,388
Loom picking mechanism, C. E. Smith.....	133,498
Lubricator, S. Hutchinson, Jr.....	133,316
Manure for transportation, preparing, L. W. Boynton.....	133,404
Mattocks, picks, etc., machine for forming the eyes of, J. Donald.....	133,390
Meat stuffer, A. R. Silver.....	133,343
Medical compound, L. B. Millard.....	133,390



Medical compound, J. Harrigan.....	130,448
Metallic grinding ring for mills, G. and H. O'Connor.....	130,388
Mill and press, cider, H. and H. S. Paul.....	130,476
Millstone feed, J. W. Anderson.....	130,298
Molasses pitters, top for, G. M. Irwin.....	130,317
Mole trap, T. J. Brown.....	130,407
Nail machine, wrought, H. Reese.....	130,486
Nail machines, feeding device for, J. Nolan (reissue).....	5,161
Neck tie, O. Kuipers.....	123,457
Nut lock, K. H. Loomis.....	130,394
Oil wells, rope socket for, H. Badcock.....	130,290
Paddle wheel, T. Shaw.....	130,341
Paper folding machine, A. Washburn.....	130,393
Paper bag machines, pasting apparatus for, J. Arkell.....	130,395
Pastboard box, S. W. Millicamp.....	130,390
Photographic camera, C. A. Waterbury.....	130,394
Plow, S. D., D. A., and J. B. Morrison (reissue).....	5,160
Poke, horse and cattle, B. Page.....	130,394
Pusher, self-lubricating, W. W. Crane.....	130,416
Pump, S. Lane, Jr.....	130,373
Pump, steam, J. C. and E. H. Dean.....	130,419
Purifier, midding, E. P. Welch.....	130,509
Railroad track cleaner, J. Paradi, (reissue).....	5,162
Railway train brake, D. T. Perkins.....	130,335
Reaming hydrocarbon oils, Faucett and McGowan.....	130,426
Refining petroleum, etc., H. M. Baker.....	130,399
Riveting machine, J. Berry.....	130,394
Roe G. Gardner.....	130,431
Rolling machine, metal, H. Kellogg.....	130,451, 130,452
Rolling mills, roll for metal, H. Kellogg.....	130,454
Roof, C. P. Weaver.....	130,508
Rotary engine, F. Jessop.....	130,318
Rudder for vessels, A. H. Murphy.....	130,382
Saloon table shelf, J. B. McKee.....	130,471
Sash holder, Branch and Liddell.....	130,393
Sawing machine, J. P. Summers.....	130,497
Sawing and planing machine, M. E. Tucker.....	130,504
Sewing machine, W. G. Beckwith.....	130,331
Sewing machine table, G. Rehford.....	130,497
Sewing machine table attachment, J. C. Egley.....	130,501
Sewing machine table hinge, M. C. Briner.....	130,398
Sewing machine treadle, C. H. Morgan.....	130,391
Sewing machine presser foot, J. L. and D. H. Coles.....	130,411
Shaft hanger, W. W. Crane.....	130,415
Shank for tools, A. H. Suplee.....	130,498
Sheep shears, F. Van Doren, (reissue).....	5,160
Shoemaker's tool, J. F. Ober.....	130,393
Show case for ribbons, etc., Gross and Roth.....	130,366
Shutter fastener, W. Zelter.....	130,514
Signal, ship's, Head and Nickoll.....	130,385
Sink, J. H. Coyne.....	130,414
Skate fastener, Hunter and Chenoweth.....	130,514
Slip rail, J. L. Jennings.....	130,370
Snout machine, S. E. Poulney.....	130,480
Spark arrester, W. F. Grasser.....	130,496
Spraying machine, manufacture of rings for, C. E. Trowbridge.....	130,514
Springs, manufacture of, W. Evans.....	130,424
Stamp canceller, J. Goldsborough.....	130,425
Stationary implement, compound, H. S. Ball.....	130,500
Stave jointer, J. McGraw.....	130,469
Steam engine, E. H. Cutler.....	130,306
Steam engine, reciprocating, Moy and Shill.....	130,380
Steam engine, rotary, Grotz and Dennison.....	130,441
Steam engine lubricator, P. W. Brewster.....	130,397
Steam pressure regulator, N. C. Locke.....	130,450, 130,460
Stool, pivot, H. Earl, Jr.....	130,500
Stone, etc., cutting, B. C. Tighman.....	130,501
Stripping and feed roll for burring machines, etc., J. K. Proctor.....	130,492
St. Iky, J. A. Bliz.....	130,401
Thill coupling, H. Fitzsimmons.....	130,428
Tinner's tool, A. Bingham.....	130,395
Tobacco stripping and booking machine, O. Deas.....	130,490
Turn table, A. and H. F. Snyder.....	130,398
Umbrellas, etc., lock, S. Wales.....	130,392
Vise, machinist's, Demmon and Diefendorf.....	130,423
Wagon axle, E. D. Gird.....	130,463
Wagon, dumping, W. Buck.....	130,500
Wagon seat fastener, Schafer and Reimold.....	130,490
Wash basin, J. Broadfoot.....	130,405
Wash boiler, W. H. Lines.....	130,374
Washing machine, O. Lonal.....	130,396
Washing machine, E. Cox.....	130,397
Washing machine, G. W. Moillineux.....	130,379
Washing machine, L. B. Stillman.....	130,389
Washing machine, wool, J. K. Proctor.....	130,481
Watch escapement, P. G. Giroud.....	130,494
Watch chain hook, C. Faas, (reissue).....	5,159
Water engine, J. H. Connell.....	130,396
Water meter, Gray and Bristlingham.....	130,438
Water ram, C. Hodgkins.....	130,398
Water wheel, turbine, T. J. Alcott.....	130,287
Water wheel, turbine, J. McGraw.....	130,470
Wrench, O. Bonnevillie.....	130,402
Wrench, F. L. Deifer.....	130,422

## APPLICATIONS FOR EXTENSIONS.

Applications have been duly filed, and are now pending, for the extension of the following Letters Patent. Hearings upon the respective applications are appointed for the day hereinafter mentioned:

23,885.—HARVESTER.—W. K. Miller. January 22, 1873.

25,097.—MACHINE FOR CROKING BARRELS, ETC.—H. Littlejohn. Feb. 12, 1873.

28,105.—CONSTRUCTION OF STEAM VESSELS.—J. Montgomery. Feb. 12, 1873.

## EXTENSIONS GRANTED.

15,905.—BREACH LOADING FIRE ARM.—G. W. Morse.

22,212.—RAILROAD CAR BRAKE.—A. L. Whipple.

## DISCLAIMER.

15,905.—BREACH LOADING GUN.—G. W. Morse, Washington, D. C.

## DESIGNS PATENTED.

6,300.—BILLIARD TABLE.—O. D. Benjamin, Toledo, Ohio.

6,370.—NURSING BOTTLE.—M. S. Burr, Boston, Mass.

6,371.—COOKING STOVE.—E. Bussey, Troy, N. Y.

6,372.—PRINTING TYPE.—J. M. Conner, New York city.

6,373.—BROOM.—G. F. Gale, Philadelphia, Pa.

6,374.—IRON FENCE.—C. F. and J. M. Hankey, Danville, Ill.

6,375.—SODA WATER APPARATUS.—G. F. Meacham, Newton, Mass.

6,376.—TWIN HOLDER.—E. J. Steele, New Haven, Conn.

6,377.—FIRE SET HOLDER.—E. J. Steele, New Haven, Conn.

6,378.—BILLIARD TABLE.—J. Syrtcher, Buffalo, N. Y.

6,379.—BELL STAND FOR HARNESS.—A. E. Taylor, New Britain, Conn.

6,380.—CORAL BOOK STAND.—S. L. Westerfield, New York city.

## TRADE MARKS REGISTERED.

1,006.—SUGAR CURED HAMS.—Backman & Wilson, Cincinnati, Ohio.

1,007.—COTTON GIN.—W. O. Clemens, Columbus, Ga.

1,008.—STOVES AND STOVE TRIMMINGS.—Culter & Proctor, Peoria, Ill.

1,009.—VELVET RIBBONS.—Giron Freres, St. Etienne, France.

1,070.—BACK SEAMED BOOTS.—I. Hall, Boston, Mass.

1,071.—LEATHER.—E. Larrabee & Sons, Baltimore, Md.

1,072.—ESSENTIAL OILS, ETC.—C. H. Phillips, New York city.

1,073.—ANNATTO.—L. E. Hanson, New York city.

1,074.—SAWS.—Wheeler, Madden & Clemson, Middletown, N. Y.

## Value of Patents, AND HOW TO OBTAIN THEM. Practical Hints to Inventors.

**P**ROBABLY no investment of a small sum of money brings a greater return than the expense incurred in obtaining a patent even when the invention is but a small one. Larger inventions are found to pay correspondingly well. The names of Blanchard, Morse, Bigelow, Colt, Ericsson, Howe, McCormick, Hoe, and others, who have amassed immense fortunes from their inventions, are well known. And there are thousands of others who have realized large sums from their patents.

More than FIFTY THOUSAND inventors have availed themselves of the services of MUNN & Co. during the TWENTY-SIX years they have acted as solicitors and Publishers of the SCIENTIFIC AMERICAN. They stand at the head in this class of business; and their large corps of assistants, mostly selected from the ranks of the Patent Office: men capable of rendering the best service to the inventor, from the experience practically obtained while examiners in the Patent Office: enables MUNN & Co. to do everything appertaining to patents BETTER and CHEAPER than any other reliable agency.

### HOW TO OBTAIN Patents

This is the closing inquiry in nearly every letter, describing some invention which comes to this office. A positive answer can only be had by presenting a complete application for a patent to the Commissioner of Patents. An application consists of a Model Drawings, Petition, Oath, and full Specification. Various official rules and formalities must also be observed. The efforts of the inventor to do all this business himself are generally without success. After great perplexity and delay, he is usually glad to seek the aid of persons experienced in patent business, and have all the work done over again. The best plan is to solicit proper advice at the beginning. If the parties consulted are honorable men, the inventor may safely confide his ideas to them; they will advise whether the improvement is probably patentable, and will give him all the directions needful to protect his rights.

## How Can I Best Secure My Invention?

This is an inquiry which one inventor naturally asks another, who has had some experience in obtaining patents. His answer generally is as follows, and correct

Construct a neat model, not over a foot in any dimension—smaller if possible—and send by express, prepaid, addressed to MUNN & Co., 37 Park Row, New York, together with a description of its operation and merits. On receipt thereof, they will examine the invention carefully, and advise you as to its patentability, free of charge. Or, if you have not time, or the means at hand, to construct a model, make as good a pen and ink sketch of the improvement as possible and send by mail. An answer as to the prospect of a patent will be received, usually, by return of mail. It is sometimes best to have a search made at the Patent Office; such a measure often saves the cost of an application for a patent.

## Preliminary Examination.

In order to have such search, make out a written description of the invention, in your own words, and a pencil, or pen and ink, sketch. Send these, with the fee of \$5, by mail, addressed to MUNN & Co., 37 Park Row, and in due time you will receive an acknowledgment thereof, followed by a written report in regard to the patentability of your improvement. This special

search is made with great care, among the models and patents at Washington, to ascertain whether the improvement presented is patentable.

## Rejected Cases.

Rejected cases, or defective papers, remodeled for parties who have made applications for themselves, or through other agents. Terms moderate. Address MUNN & Co., stating particulars.

## Copies of Patents.

Persons desiring any patent issued from 1836 to November 26, 1867, can be supplied with official copies at a reasonable cost, the price depending upon the extent of drawings and length of specification.

Any patent issued since November 27, 1867, at which time the Patent Office commenced printing the drawings and specifications, may be had by remitting to this office \$1.

A copy of the claims of any patent issued since 1836 will be furnished for \$1.

When ordering copies, please to remit for the same as above, and state name of patentee, title of invention, and date of patent. Address MUNN & Co., Patent Solicitors, 37 Park Row, New York city.

MUNN & Co. will be happy to see inventors in person, at their office, or to advise them by letter. In all cases, they may expect an honest opinion. For such consultations, opinions and advice, no charge is made. Write plain; do not use pencil, nor pale ink be brief.

All business committed to our care, and all consultations, are kept secret and strictly confidential.

In all matters pertaining to patents, such as conducting interferences, procuring extensions, drawing assignments, examinations into the validity of patents, etc., special care and attention is given. For information, and for pamphlets of instruction and advice

Address

MUNN &amp; CO.,

PUBLISHERS SCIENTIFIC AMERICAN,

37 Park Row, New York.

OFFICE IN WASHINGTON—Corner F and 7th streets, opposite Patent Office.



OF THE

SCIENTIFIC AMERICAN.

The Best Mechanical Paper in the World!

A year's numbers contain over 800 pages and several hundred engravings of new machines, useful and novel inventions, manufacturing establishments, tools, and processes.

The SCIENTIFIC AMERICAN is devoted to the interests of Popular Science, the Mechanic Arts, Manufactures, Inventions, Agriculture, Commerce, and the Industrial pursuits generally, and is valuable and instructive not only in the Workshop and Manufactory, but also in the Household, the Library, and the Reading Room.

To the Mechanic and Manufacturer!

No person engaged in any of the mechanical pursuits should think of doing without the SCIENTIFIC AMERICAN. Every number contains from six to ten engravings of new machines and inventions which cannot be found in any other publication.

Chemists, Architects, Millwrights and Farmers.

The SCIENTIFIC AMERICAN will be found a most useful journal to them. All the new discoveries in the science of chemistry are given in its columns; and the interests of the architect and carpenter are not overlooked, all the new inventions and discoveries appertaining to these pursuits being published from week to week. Useful and practical information pertaining to the interests of millwrights and millowners will be found published in the SCIENTIFIC AMERICAN, which information they cannot possibly obtain from any other source. Subjects in which planters and farmers are interested will be found discussed in the SCIENTIFIC AMERICAN, many improvements in agricultural implements being illustrated in its columns.

We are also receiving, every week, the best scientific journals of Great Britain, France and Germany; thus placing in our possession all that is transpiring in mechanical science and art in these old countries. We shall continue to transfer to our columns copious extracts, from these journals, of whatever we may deem of interest to our readers.

## TERMS.

One copy, one year	\$3.00
One copy, six months	1.50
One copy, four months	1.00
One copy of Scientific American for one year, and one copy of engraving, "Men of Progress,"	10.00
One copy of Scientific American for one year, and one copy of "Science Record," for 1873	4.50

Remit by postal order, draft or express.

The postage on the Scientific American is five cents per quarter, payable at the office where received. Canada subscribers must remit, with subscription, 25 cents extra to pay postage.

Address all letters, and make all Post Office orders or drafts payable to

MUNN &amp; CO.,

37 Park Row, New York.

## INDEX.

## ILLUSTRATIONS.

Agricultural department, Washington, the.....	398
Balance wheel at an angle to its shaft.....	394
Barometer, musical, Buck's.....	38
Barrels and boxes, handle for, Scofield's.....	146
Bed bottom, Wellhouse's.....	147
Bee, the carpenter.....	168
Blower, rotary pressure, Pusey's.....	86
Boat detaching apparatus, Quartrill's.....	326
Boiler explosion, steam.....	323
Boilers bursting strain on cylindrical.....	325
Boring machine, upright, McBeth, Bentel & Margendant's.....	319
Brake, railroad car, Canfield's.....	318
Breakwater, floating, Morris.....	242
Breakwater, the Mahora, Kuruckee, India.....	99

Brewing, new method of, Pasteur's.....	267
Bridge pit, Van Anken's.....	31
Brush backs, machine for inserting bristles in, Woodbury's.....	31
Butter, blacksmith's, Rhamy's.....	114
Bug, March's.....	61
Burlington House, Piccadilly, London.....	296
Button hole cutter, Walker's.....	397
Caps, how to make paper.....	270
Carburettor, gas, Dayton's.....	407
Carpets, making patterns in.....	275
Canal boat, Mahan's.....	15
Canal boat, system of propelling, Jaeger's.....	246
Canal construction, Doane's method of.....	68
Cas, armored, Thompson's.....	262
Church, building a.....	270
Cigar making.....	385
Clock, watchman's, Shive's.....	1
Coffee hailing and polishing machine, Guardiola's.....	199
Coffee washing machine, Guardiola's.....	200
Conservatory, Howitt & Co's.....	396

Copying from the microscope.....	131
Coupling, flexible pipe, Kearney's.....	310
Curelino, natural history of the.....	97
Dental plugging instrument, Griswold's.....	150
Docking and excavating canals and reclaiming waste lands, system of, Wood's.....	228
Drain, house, Reynolds'.....	146
Drawing table, Higgins'.....	390
Dredge, steam.....	50
Drill, self-feeding, Hale's.....	398
Ducking stool, the.....	3
East river bridge, the Brooklyn pier of the.....	399
Electrical experiments, Morton's.....	408
Elevator and distributor, Shank's.....	35
Elevator, pneumatic, Giers'.....	271
Ellipsograph, Browne's.....	22
Engine, direct acting steam, Benson & Avery's.....	114
Engine, steam, Frick and Bowman's.....	239
Evaporating apparatus, sugar, Guardiola's.....	111

Extinguisher, automatic lamp, Goodridge's.....	134
Falling bodies, force of.....	131
Fan, automatic, Williamson's.....	82
Ferry boat, novel railway, Goodard's.....	391
Filter, reversible water, Taft's.....	70
Flask and whisk, combined, Fratt's.....	22
Fountain presented to the city of Cincinnati.....	34
Gate, road or farm, Hooker's.....	182
Geometrical problem.....	393
Gin house, horse power, and cotton press, combined, Shaw's.....	66
Glasgow University buildings.....	179
Gold pen making.....	178
Grasshopper, a new.....	51
Grate bars and bearer, Kearney's.....	294
Greeley, Horace.....	393
Gun for the Russian government, twenty inch.....	397
Gunlock, safety, Byers'.....	262
Gun, submarine, Page's.....	66

Harness breast strap.....	195
Hay and straw stacking apparatus, Baird's.....	342
Head block for saw mills, McEwen's.....	371
Heater, feed water, Berryman's.....	6
Heater, steam, Bosley's.....	1
Hinge, flush strap, Jennings'.....	178
Homes, cheap country, Bicknell's.....	291
Hose coupling, Magill's.....	214
Hose coupling, Roberts'.....	55
Hot bed frames, earthen Looker's.....	290
Hydrogen lamp, a cheap.....	130
Ice machine, ether, Muhl's.....	95
Ice picture, a curious.....	359
Ice preserver.....	6
Irradiation.....	246
Key seat cutting machine, Bailey & Vail's.....	390
Key tag, watch key, and knife sharpener, combined, Schlarbaum's.....	170
Kite, the Japanese bird.....	259

Lathe center grinder, Union Stone Company's.....	354
Life boat, screw, Harris.....	3
Lining in cast iron boxes, metal.....	90
Locomotive, an exploded.....	2
Locomotive, fireless, Lamm's.....	118
Locomotive, bank, Forney's.....	326
Loom, fancy weaving, Crawshaw's.....	268
Loom for wide fabrics, Short's.....	150
Lubricators, apparatus for testing, Bailey & Co's.....	130
Meteors, the annual August shower of.....	81
Milk, detection of impurities in.....	146
Milk, disintegrating flour, Carr's.....	214
Mold for sleigh shoes, Butman's.....	130
Money is made, how.....	358, 359
Monitor Glatton, the British.....	328
Mon head, Williams'.....	18
Mosquito illustrated, the.....	19
Moth, the Polyphemus.....	99
Motion, transmission of, 245, 254, 255, 256, 257.....	871
Musical intervals, the measurement of.....	8
Musical stand, portable, Brown's.....	246



N	Astronomical observations, positions for	124	Canal, Canadian	100	Cotton, deterioration of	81	F	Hay ventilator	89
Napping machine, Ladd's	124	Astronomy, old and new ideas in	124	Canal, inter-oceanic	100	Cotton manufacture, statistics of	81	Hazel capsules, elastic force of	291
O	Astronomical phenomenon, remarkable	404	Canal, steam on the	124	Cotton plant root, chemistry of	81	Falling bodies, force of	291	
Ore separator, Cagin's	200	Atlantic cable business, service upon	124	Canal through Florida, new	124	Cotton press, improved	214	Fan, automatic	291
Oven, hot blast, Young's	275	Atlantic steam navigation, progress of	124	Canaries and vermin	124	Cotton, hints for the	291	Fan, power for	291
Oxygen, apparatus for obtaining, Mallet's	402	Atmosphere, the weight of the	124	Car, armored	124	Cotton, hints for the	291	Fans, Japanese	291
P		Atmospheric wave, the November	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Paving, street	243	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Piers and bulkheads on the river	115	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pipes, something about	30	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pipe wrench and vice, combined	271	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Piston, universal, Giffard's	147	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Plow, adjustable, Foreman's	163	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pneumatic machinery for sinking piers, Murphy's	226	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Press, cotton, Falkner's	214	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pulley for wire ropes	238	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pulley, self-lubricating loose	162	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pulleys, cable, Larkin Manufacturing Co.'s	310	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Pump, automatic steam vacuum	47	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Punching and shearing machines, Wilder's	175	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
R		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Rafter hook and eye escape, Butt-kereit's	263	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Rail joint, railway, Steel's	165	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Rail, railroad, Sanborn's	165	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Railroad, coal, Hunt's	102	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Railway system, Connelly's	102	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Regulator and alarm, combined	190	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Regulator for boilers, Lenoir's	207	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Rifle, magazine repeating, Robinson's	201	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Rifle, the new	201	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Road in the Caucasus mountains	275	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Russian sappers and miners constructing a military	275	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Roofing, sheet iron, Bell's	58	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
S		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Safe protector, Brook's	406	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sailing against wind	210	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sailor's home, Bombay, India	210	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sand blast process for cutting and engraving hard substances	195	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sash catch, wheel and roller, McDonough's	119	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sash coupling machine, Phillips's	407	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Saw, amateur, J. C. Trump's	148	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sawing machine, combined hand and foot, Watson's	148	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Seed cleaner for thrashers	370	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Seed planter, Laga's	370	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sewing machine, Lathrop's	235	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sewing machine, treadle and cast-ers, Proctor's	307	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Shutters, rolling, Laga's	130	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Shuttle binder, Laga's	130	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sketching, apparatus for outdoor sound, determination of temperature by	327	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sparks, apparatus for extinguishing	323	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Spike, railroad, Stibbe's	407	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Spool blank roughing machine, Hawkin's	142	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Spring power for sewing machines, Cayce's	134	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Stamp holder, postage, Dempster's	108	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Steam boiler, Flynn's	354	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Steam engine, Snyder Brothers'	354	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Steam pump, the Special, Cameron's	287	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Steam trap and feed, Blessing's	106	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Steam trap, Berryman's	159	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Stocking, horse, Lewis's	51	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sugar manufacture in Cuba, machinery for	194	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Sulphuric acid in distilleries, use of	237	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
T		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Tool, combined, Gorrick's	370	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Tool rest, Hadley's	211	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Towage on the Pacific, wire rope	70	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Turbine, Canadian, Masters'	70	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Turbine water wheel, double, Stillwell and Pierce Manufacturing Co.'s	162	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
V		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Vienna exposition, the buildings of the	375	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
W		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Wagon wheel, Fetta's	294	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Wash boiler, Putt's	406	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Wheel, carriage, O'Connor's	45	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Wheeler, John, Shole's	79	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
MISCELLANY.		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Figures preceded by a star (*) refer to illustrated articles.		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
A		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Absorption of gases by charcoal	57	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Absorption of poisons, cutaneous	114	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Acetic acid	10	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Acorn in water, an	123	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Adulteration of chemicals	115	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Advertising order, a large	197	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aerolite in Japan	197	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aerolites, a shower of	197	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aeronauts, Glisler and Coxwell, the	200	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Agassiz expedition, the	191	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Agricultural Department, Washington, D. C.	208	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Air and water, perishability of	246	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Air and water, rights of	301	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Air, compression of	300	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Air in combustion of coal	314	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Air pump and engine exhaust	378	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Air, pure	204	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Alcohol from sawdust, recent	204	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aldol	138	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Alloys, tin and lead	304	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aluminum, plating with	272	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Amanians, the	86	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American Association for the Advancement of Science, 191, 184, 200	151	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American Institute, progress of	151	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American Institute, the fair of	151	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American Institute, the management of the	404	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American inventions in Europe	401	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American inventors in Austria	231	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American remarkable structures of the ancient	397	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
American steamer, a new	181	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aniline black	101	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aniline inks	404	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Aniline, new coloring matter derived from	227	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Animals, the locomotion of	135	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Answers to correspondents	16, 26, 41, 58, 74, 90, 106, 122, 138, 154, 170, 186, 202, 218, 234, 250, 266, 282, 298, 314, 330, 346, 362, 378, 394, 410	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Anta, exterminating	354	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Anta, red	354	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Apparent diameter of the planets	138	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Apples, slicing	105	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Architectural millinery	120	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Architecture, a question in	84	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Argand gas burner	58	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Arenic, antidote for	152	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Asking favors	386	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Astronomical discoveries, recent	386	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Astronomical notes	386, 398	Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
B		Atmosphere, the weight of the	124	Car, Cannon, the	124	Cotton, hints for the	291	Fan, power for	291
Bailarge, honor to Professor	280	Atmosphere, the weight of the</							



Lard, storing.	20	Monkeys, intelligent.	128	Patents, decision by the Commission.	112, 208, 277, 300, 377	Tomatoes, utilization of.	296	Soap and savants.	264	Thermometer, placing a.	276
Lathe center grinder.	234	Moonglight reductions.	272	Patents, drawings of the.	112	Tin snips, improved.	270	Sparks, apparatus for extinguishing.	264	Thieves, security against.	276
Launch, new steam.	234	Moon, still later intelligence from.	280	Patents, extension of.	112	Tool rest, improved.	270	Spectacles, gravity.	260	Thoughts.	276
Lavender oil.	207	Moon, the latest news about the.	277	Patents, extension of—The act.	208	Tooth of a mastodon.	250	Spectacles, colored.	260	Thread, manufacture of sewing.	264
Lawyer a joiner.	207	Moon, the temperature of the.	277	Patents, how to make money by.	276	Torch for fire fishing.	270	Spectacles, face.	260	Thread mill at Pawtucket.	264
Lead, because I am so.	207	Mop head, improved.	277	Patents in Japan.	280	Tornado.	270	Spectroscopic and microscope.	260	Throw stick, the.	264
Lead, the leaded carpenter.	207	Morphine in the developer.	277	Patents issued, index of.	280	Torpedo warfare.	270	Spectroscopic, pocket.	260	Thunderstorm, milk soured by a.	264
Lead glass in strong and earthenware.	207	Morse, portrait of Professor.	277	Patents in New York, rapid.	280	Towage on the Danube, wire rope.	270	Speed of locomotive on a down grade.	260	Thunderstorm, milk soured by a.	264
Lead pipe, action of running water on.	207	Moscow Industrial Exposition.	277	Trade in England, state of.	280	Track laid in one night, two miles of.	270	Sphinx moth, the.	260	Thunderstorm, remarkable.	264
Lead poisoning, a case of.	207	Mosquitoes, how to destroy.	277	Trade marks.	280	Transit in New York, rapid.	270	Spice, improved.	260	Thunder, the sound of.	264
Leak in gas bags.	207	Mosquito, illustrated.	277	Train, English fast.	270	Transit in New York, rapid.	270	Sponge fishing.	260	Thurston, letters from Professor R. H., 23, 43, 53, 104, 120, 137, 183, 196, 204, 216, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000	



## Advertisements.

## RATES OF ADVERTISING.

Back Page ..... \$1.00 a line.  
Inside Page ..... 75 cents a line.  
Engravings may head advertisements at the same rate per line, by measurement, as the letter-press.

**FOR SALE**—State Right, for Illinois, of a valuable Railroad Patent, paying 50 per cent.  
J. B. BROWN, 125 La Salle St., Chicago, Ill.

**\$425** Upright Engine and Tubular Boiler (4) Horse Power, with all Trimmings—also, (10) Horse Power. Send for circulars. **VARIETY IRON WORKS COMPANY**, Cleveland, Ohio.

**FOR EXAMINATION FREE**, a specimen number of the **ILLUSTRATED PNEUMOLOGICAL JOURNAL** to any address, on receipt of stamp. Published at \$3.00 a year, 30 cents a number; clubbed with **THE SCIENTIFIC AMERICAN** a year for \$5.00, with the **SCIENCE OF HEALTH** (\$2.00) for \$4.50; the three for \$7.00. Address **S. H. WELLS**, 229 Broadway, New York.

**READERS**—For \$1.50 you can receive **THE SCIENTIFIC AMERICAN** a year (\$3.00) and **THE SCIENCE OF HEALTH** a year (\$2.00). This is the best **HEALTH JOURNAL** published. Send at once to **S. H. WELLS**, Publisher, 229 Broadway, New York.

**GALT FOUNDRY AND CANADA NUT** Works for Sale. Foundry and Machine Shop 30 years established, doing an extensive business. Turn out—Three Machines constantly on hand. Steam Power Water. Splendid opening. Terms liberal. **LUTZ & CO.**, Galt, Ontario, December, 1872.

## Purchasers of Saw Mills

are notified that we have commenced suits in the U. S. Circuit Courts against **COLLINS, BURNES & CO.**, Lebanon, N. H.; **LUKE BUELL**, St. Johnsbury, Vt.; and **F. C. CARR**, New York, (selling agents of Belknap, Ely & Co., Northfield, Vt.) for infringement of patents granted Dennis Lane for improvements in Circular Saw Mills. The public is cautioned against buying Mills or Set Works manufactured and sold by the above named parties, or any other, in violation of our rights, as we shall prosecute infringers to the full extent of the law, and hold purchasers of infringing Mills or Set Works responsible for the use of the same.

Our patents cover improvements in head-blocks generally, setting devices, dogging devices, tapering devices, and frictional set works.  
Descriptive pamphlets sent to any address, and copies of Lane's patents furnished upon request.  
**DENNIS LANE, PITKIN & BROCK**, Montpelier, Vermont.

**FRANK S. ALLEN MANUFACTURING COMPANY**, Office 25 Ninth Ave., N. Y., Dec. 14, 1872.  
To Board of Managers, Am. Institute:  
I notice, in "Scientific American" of Dec. 7, 1872, a statement commencing "Woodbury Brass Machine for Medal of Am. Institute. One of the Judges is attached to that paper, it may be fairly considered to be semi-official. This statement asserts—"the machine made tooth brushes and coarse scrubbing brushes with equal facility." This is incorrect. The Woodbury machine exhibited did not do either and cannot. The writer will pay one hundred dollars to any charitable institution the Judges may select, if they will cause, in presence of witnesses and the writer, the machine exhibited to insert the material used in ordinary tooth brush and commonest scrub brush stock in competition with hand labor successfully.  
Yours, very respectfully,  
**CHAS. F. RITCHIE, Supt.**, &c.  
N. B. A copy of above has been sent to each Judge.

## The TRADE WAGON.



A WAGON INTENDED FOR GENERAL PURPOSES.  
**WEIGHS BUT 400 POUNDS.**  
Is finished ready to paint and trim. Inquire of your carriage maker, or the ONLY manufacturers,  
**S. N. BROWN & CO., OF DAYTON, OHIO.**

**WOODWORKING MACHINERY**  
**MOLDING, MORTISING, TENONING & SHAPING MACHINES, BAND SAWS, SCROLL SAWS, Planing & Matching MACHINES, &c.**  
For Railroad, Car, and Agricultural Shops, &c.  
Superior to any in use.  
**J. A. FAY & CO.**  
CINCINNATI, Ohio.

**MACHINERY**, of all kinds. **S. C. HILLS** 31 Courtland St., New York.

**TO THE WORKING CLASS**, male or female, \$3 a week guaranteed. Respectable employment at home, day or evening; no capital required; full instructions and valuable package of goods to start with sent free by mail. Address, with 6 cent return stamp, **M. YOUNG & CO.**, 16 Courtland St., New York.

**FELT**. Cheapest, best, and most durable non-conductor known. **BOILER FELTING WORKS**, 46 Courtland St., New York.

**WHAT NEXT?** The great juvenile Magazine, 30 cents a year, with a 12 Chromo free. Specimen 3 cents.  
**B. ALDEN**, Publisher, Chicago.

**L. & J. W. FEUCHTWANGER**  
**CHEMISTS & IMPORTERS**  
SOLUBLE GLASS OR SILICATES  
OXIDE OF MANGANESE FOR STEEL  
GLASS & PATENT DRYERS  
FLUORSPAR, FELSPAR, FLINT OR  
SILEX, NICKEL SALTS ASBESTOS,  
BLACK LEAD, METALS &c. &c.  
Address 55 Cedar St. New York  
PUBLISHERS OF TREATISES ON  
SILICA AND FERMENTED LIQUORS.

**MACHINERY**, NEW and 24-HAND—Send for Circular. **CHAS. PLACE & CO.**, 60 Vesey St., New York.

**\$5 to \$30** per day! Agents wanted! All classes of working people, of all ages, young or old, make more money at work for us in their spare moments or all the time than at anything else. Particulars free. Address **G. H. BROWN & CO.**, Portland, Maine.

## Grant's Bolt Cutter &amp; Drill Combined

LENGTH, 49 IN.—WEIGHT, 140 LBS.



It. Used by the Third Avenue car shop and Brooklyn Bridge. See Circulars. **WILEY & RUSSELL**, Makers Greenfield, Mass.

## STEAM PUMPING MACHINERY



**Cope & Maxwell Man'g Company**, 118, 120 & 122 East Second St., CINCINNATI, O.

## Machinery.

Wood and Iron Working of every kind. Leather and Rubber Belting, Emery Wheels, Babbitt Metal, &c. **GEO. PLACE & CO.**, 121 Chambers & 103 Reade Sts., N. Y.

## Machinists' Tools.

The largest and most complete assortment in this country, manufactured by **NEW YORK STEAM ENGINE COMPANY**, 121 Chambers & 103 Reade Streets, New York.

## Cold Rolled Shafting.

Best and most perfect Shafting ever made, constantly on hand in large quantities, furnished in any lengths up to 24 ft. Also, Pat. Coupling and Self-oiling adjustable Hangers. **GEORGE PLACE & CO.**, 121 Chambers & 103 Reade Streets, New York.

## Sturtevant Blowers.

Of every size and description, constantly on hand. **GEORGE PLACE & CO.**, 121 Chambers & 103 Reade Streets, New York.

## WILDER'S Pat. Punching Presses

For Railway Shops, Agricultural Machine Shops, Boiler Makers, Tinsmiths, Brass Manufacturers, Silvermiths, &c. Warranted the best produced. Send for Catalogue, &c. **NEW YORK STEAM ENGINE CO.**, 121 Chambers & 103 Reade

## The Weekly Sun.

**ONLY \$1 A YEAR. 8 PAGES.**  
The Best Family Paper.  
The Best Agricultural Paper.  
The Best Political Paper.  
The Best Story Paper.  
The Best Fashion Reports.  
The Best Cattle Market Reports.  
The Best General Market Reports.  
The Best Paper Every Way.  
**THE WEEKLY NEW YORK SUN**. Eight pages, 56 columns. \$1 a year, or less than 2 cents a number. Send your dollar.  
Address **THE SUN**, New York City.

## OTIS' SAFETY HOISTING Machinery.

**OTIS, BROS. & CO.**, NO. 345 BROADWAY, NEW YORK.

## 1873. JUBILEE! 1873.

Better than Pictures is the **New York Observer**, The Great American Family Newspaper. \$3 A YEAR WITH THE JUBILEE YEAR BOOK. **SIDNEY E. MORSE & CO.**, 37 Park Row, New York. SEND FOR A SAMPLE COPY.

## IMPROVED FOOT LATHES

Slide Rests, Hand Planers, Scroll Saws Superior to all others. Selling every where. Catalogue free. **N. H. BALDWIN**, Laconia, N. H.

## LADY AND GENTLEMEN AGENTS

**WANTED**—To sell the Protean Button Hole Lancer and Sewing Machine Thread Cutter. 25 cents. Needle Threading Thimble, 25 cents. Morocco Needle Book, 50 cents. Samples mailed on receipt of price. \$10 per day, sure. **H. W. HENMAN** 599 Broadway, New York.

## METALLIC LETTERS AND FIGURES

(of all sizes and kinds for 100 purposes) for Locomotive Works and Iron Foundries, in White Metal, Brass, or German Silver, cast with or without Iron Bolts, 2, 3, 4, 5, 6, and 8 inches high. **PATTERN LETTERS**—Entirely New and Original Series of Roman, Gothic, and Sharp Face Gothic Letters, from 3/32 to 3 inches high. **METAL NUMBERS**—Adapted for Church Pews, Hotels, Post Offices, Letter Boxes, etc. etc. Also, Brass Name Plates and Cards for Engines and Machinery made to any Size or Pattern, equal to type. **S. E. ADAMSON**, Manufacturer, No. 5 Day Street, Office No. 24.

**FOR SALE**—A second hand Hewes & Phillips Steam Engine, 12 in. cylinder, 36 in. stroke; will be ready for delivery 30th Dec.; previous to which time may be seen running at the Singer Mfg Co's Silk Mill, Bank St., Newark, N. J.

## BUTT PATTERNS AND MACHINERY.

I will sell, very cheap, a large variety of Butt Patterns, also two Machines for drilling Butts, two Engine Lathes, and three Hand Lathes. All of above have been but little used, and are in perfect order.  
**D. C. SAGE**, Cromwell Conn

## RING SPINNING

IMPROVED SPINDLES—3000 revolutions per minute. Robbin driven positive. **BRIDGESBURG MANUFACTURING COMPANY**, Philadelphia, Pa.

## AFRICA

The best terms offered. AGENTS WANTED for Explorations in Dr. Livingston discovered. The **HERALD-STANLEY** Expedition continues. Large orders now ready. **UNITED PUBLISHING CO.**, Chicago, Philadelphia, or Springfield, Mass.

## WHALEN TURBINE. No risks to purchaser.

Pamphlet sent free. **WHALEN**, Ballston Spa, N. Y.

## 1832. SCHENCK'S PATENT. 1871. WOODWORTH PLANERS

And Re-Sawing Machines, Wood and Iron Working Machinery, Engines, Boilers, etc. **JOHN B. SCHENCK'S SONS**, Matteawan, N. Y. and 115 Liberty St., New York.

## WOODWORKING MACHINERY GEN.

erally. Specialties, Woodworth Planers and Richardson's Patent Improved Tenon Machines. Nos. 24 and 26 Central, corner Union st. Worcester, Mass.

## THE UNION IRON MILLS, PITTSBURGH, PA.

The attention of Engineers and Architects is called to our improved Wrought-Iron Beams and Girders (patented), in which the compound welds between the stem and flanges, which have proved so objectionable in the old mode of manufacturing, are entirely avoided, we are prepared to furnish all sizes at terms as favorable as can be obtained elsewhere. For descriptive lithograph address Carnegie, Kloman & Co., Union Iron Mills, Pittsburgh, Pa.

## Andrew's Patents.

Noiseless, Friction Grooved, or Geared Hoist-ers, suited to every want. Safety Stairs Elevators. Prevent Accident, if Rope, Belt, and Engine Break. Smoke-Burning Safety Boilers. Oscillating Engines, Double and Single, 1-2 to 100-Horse Power. 100 to 100,000 Gallons per Minute. Best Pumps in the World, pass Mud, Sand, Gravel, Coal, Grain, etc., without injury.

All Light, Simple, Durable, and Economical. Send for Circulars.  
**WM. D. ANDREWS & BRO.**, 414 Water Street, New York.

## 100 YEAR ALMANAC. FOR 50 CENTS

We send POSTPAID an Almanac giving every Year, Month, Week and Day of the Century, also a Pocket Calendar for 1873. Extra inducements to Agents. Address **GEORGE A. HEARD & CO.**, Boston, Mass.

## HINKLEY KNITTING MACHINE

The Simplest, Cheapest, and Best in use! Has but one needle! A Child can run it. AGENTS WANTED IN EVERY TOWN. Manf. Florence S. M. Co. Send for circular and Sample Stocking to **HINKLEY KNITTING MACH. CO.**, Bath, Me.

## WOODBURY'S PATENT Planing and Matching

and Molding Machines, Gray & Wood's Planers, Self-oiling Saw Arbors, and other wood working machinery. **S. A. WOODS**, 81 Liberty Street, N. Y.; Send for Circulars. 67 Sudbury Street, Boston.

## The Best Smutter in America.

**THE IMPROVED INGHAM OR CALIFORNIA CLEANER AND SMUTTER** Combined, is, beyond question, the very best and cheapest in America. Send for Illustrated Circular, giving full particulars. It will pay you. Address **M. DEAL & CO.**, Bucyrus, Ohio, Manufacturers.

## BUY BARBER'S BIT BRACE.

**EDWARD H. HOSKIN**, CONSULTING AND ANALYTICAL CHEMIST, Lowell, Mass. Chemistry as applied to the Arts, Manufacturers and Medicine.

## RINDSON'S IMPROVED Turbine Water Wheel

Is Cheap, simple, strong and durable; upon a cast-iron bedded upon a cast-iron frame at full gate, and over 100 per cent at eight-tenths gate. Send for circular to **T. H. RINDSON & CO.**, Mount Holly, New Jersey.

## NEW PATTERNS.

**MACHINISTS' TOOLS**—all sizes—at low prices. **E. & R. J. GOULD**, 97 to 113 N. J. R. Ave., Newark, N. J.

## ENGRAVING IN WOOD

**MECHANICAL WORK A SPECIALTY**

## WANTED

**50 MACHINISTS** used to first class work. Steady, reliable men can find good pay and steady work at Passaic, N. J. Address **NEW YORK STEAM ENGINE COMPANY**, Passaic, N. J.

## Reynolds' TURBINE WATER WHEELS.

The Oldest and Newest. All others, only imitations of each other in their strife after complications to confuse the public. We do not boast, but quietly excel them all in staunch, reliable, economical power. Beautiful pamphlet free. **GEO. TALLCOT**, 16 Liberty Street, New York. Clearing, Shanting.

## CINCINNATI BRASS WORKS—Engineers

and Steam-Fitters' Brass Work. Best quality. Send for Catalogue. **F. LUNKENHEIMER**, Prop.

## BURDON IRON WORKS—Manufacturers

of Pumping Engines for Water Works, High and low Pressure Engines, Portable Engines and Boilers of all kinds, Sugar Mills, Screw, Lever, Drop, and Hydraulic Presses, Machinery in general. **HUBBARD & WHITTAKER**, 10 Front St., Brooklyn, N. Y.

## The latest and best improved fastening for Pulleys, Gear

Wheels, &c. to Shafting. No Keys or Set Screws used. Order for Shafting & Pulleys solicited. Catalogues sent free on application. **REINHAGEN & BUCKMAN**, 87 East Eight Street, Cincinnati, Ohio.

## INVENTORS' NATIONAL UNION. E. H.

**GIBBS & CO.**, 178 Broadway, New York. Patents Sold on Commission. Send for Circular.

## WOOD AND IRON Working Machinery

Gage Lathes, Cabinet Makers' Machinery, Shaping Machines, Band Saws, Shingle and Stave Machinery, Band Saws, Cable and Sheaves for transmitting power Engine Lathes, Upright Drills, Key Set Machines, etc. Hine, Call free. **T. R. BAILEY & VAIL**, Lockport, N. Y.

## BUERK'S WATCHMAN'S TIME DE

TECTOR—important for all large Corporations and Manufacturing concerns—capable of controlling with the utmost accuracy the motion of a watchman or patrolman, as the same reaches different stations of his beat. Send for a Circular. **J. E. BUERK**, P. O. Box 1,001 Boston, Mass.

N. B.—This detector is covered by two U. S. Patents. Parties using or selling these instruments without authority from me will be dealt with according to law.

## RICHARDSON, MERIAM &amp; CO.

Manufacturers of the latest Improved Patent Dan iels' and Woodworth Planing Machines, Matching, Seal and molding, Tenoning, Mortising, Boring, Shaping, Vertical and Circular Re-sawing Machines, Saw Mills, Saw Arbors, Scroll Saws, Railway, Cut-off, and Rip-saw Machines, Spoke and Wood Turning Lathes, and various other kinds of Wood-working Machinery. Catalogues and price lists sent on application. Manufacturing, Worcester, Mass. Warehouse, 107 Liberty St., New York. 111

## SHINGLE AND BARREL MACHINERY.

Improved Law's Patent Shingle and Heading Machine, simplest and best in use. Also, Shingle Heading and Stave Jointers, Stave Equalizers, Heading Planers Turners, &c. Address **THEYOR & CO.**, Lockport, N. Y.

## PORTABLE STEAM ENGINES, COMBIN.

ing the maximum of efficiency, durability and economy, with the minimum of weight and price. They are widely and favorably known, more than 900 being in use. All warranted satisfactory or no sale. Descriptive circulars sent on application. Address **J. C. HODLEY & CO.**, Lawrence, Mass. Liberty St., New York.

## RIVERVIEW Military Academy, Pough-

keepsie, N. Y. A thorough-going school for boys.

## Niagara Steam Pump.

**CHAS. B. HARDICK**, 23 Adams St., Brooklyn, N. Y.

## P. BLAISDELL &amp; Co., MANUFACTURERS OF FIRST CLASS

MACHINISTS' TOOLS. Send for Circulars. Jackson St., Worcester, Mass.

## Milling Machines.

**STANDARD UNIVERSAL INDEX**, CAM CUTTING and PLANING, in every variety, of unequalled design and first-class workmanship. Send for Illustrated Catalogue to the **BRADFORD MILLING MACHINE CO.**, 11 Pemberton Square, Boston. Works at Hyde Park.

## FOOT LATHES.—T. SHANKS, Baltimore, Md.

You ask WHY we can sell first Class 7 Octave Pianos for \$290. We answer—It costs less than \$300 to make any \$600 Piano sold through Agents, all of whom make 100 per cent. profit. We have no Agents, but ship direct to families at Factory price, and warrant 5 Years. Send for Illustrated circular, in which we refer to over 800 Bankers, Merchants, &c. (some of whom you may know), using our Pianos, in 44 States and Territories. Please state where you saw this notice. **U. S. Piano Co.**, 965 Broadway, N. Y.

## WOODWARD'S COUNTRY HOMES.

**150** DESIGNS AND PLANS for Houses of moderate cost \$150, post paid. **ORANGE JUD & CO.**, Publishers, 145 Broadway, N. Y. Send for Catalogue of all books on Architecture, Agriculture, Field Sports and the Horse.

## The GUIDE is now published QUARTERLY.

25 cents pays for the year, four numbers, which is not half the cost. Those who afterwards send money to the amount of One Dollar or more for Seeds may also order Twenty-five cents worth extra—the price paid for the Guide.

The January Number is beautiful, giving plans for making Rural Homes, Designs for Dining Table Decorations, Window Gardens, &c., and containing a mass of information invaluable to the lover of flowers. One Hundred and Fifty pages, on fine tinted paper, some Five Hundred Engravings, and a superb Colored Plate and Chromo Cover. The First Edition of TWO HUNDRED THOUSAND just printed in English and German, and ready to send out.

**JAMES VICK**, Rochester, N. Y.

## LATHE CHUCKS—HORTON'S PATENT

from 4 to 36 inches. Also for car wheels. Add to **E. HORTON & SON**, Windsor Locks, Conn.

## FOR SALE—The Malleable Iron Works in

Springfield, Ohio. Brick Foundry, 40x120; ample grounds for enlarging, being the entire space between the two main R. R. tracks, and within five minutes' walk of the Post Office. Address **E. C. MIDDLETON**.

## Iron City and Siberian Iron Works.

**ROGERS & BURCHFIELD**, MANUFACTURERS OF Refined Charcoal and Best Bloom Sheet Iron, Brands Apollo and Siberian. Specialties: Stamping, Buttup, Trunk, Lock, Shovel, Tea Tray, Show Card, Tagger, and all other kinds of fine Sheet, from 12 to 40 gauge. Cut to size, as required by the trade. Equally to any imported Office and Warehouse, 106 Water St., Pittsburgh, Pa.

## GREAT REDUCTION IN PRICES

**OF LE COUNT'S PATENT HOLLOW LATHE DOGS**, and his Machinist Clamps of both Iron and Steel. 1 set of 8 dogs, from 1/4 to 3 inch, \$2.50.

His expanding Mandril is a first class tool, which has long been needed by every Machinist. Send for latest circular. **W. LE COUNT**, South Norwalk, Conn.

## PROTECTION AGAINST FIRE.

**HALL BROTHERS** Are prepared to introduce their "System of Sprinklers" into Mills, Factories, &c., at short notice. Call and see a practical operation of same at their works,

**36 CHARDON STREET, BOSTON.**



## Advertisements.

Advertisements will be admitted on this page at the rate of \$1.00 per line for each insertion. Magnifying may head advertisements at the same rate per line by measurement, as the letter-press.

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be over-estimated. Its circulation is to times greater than that of any similar journal now published. It goes into all the States and Territories, and to read in all the principal libraries and reading-rooms of the world. We invite the attention of those who wish to make their business known to the annexed rates. A business man wants something more than to see his advertisement in a print newspaper. He wants circulation. If it is worth 25 cents per line to advertise in a paper of three thousand circulation, it is worth \$2.75 per line to advertise in one of forty-five thousand.

## Waltham Watches FOR HOLIDAY PRESENTS.

SEND FOR PRICES.

Single Watches delivered by Mail or Express in any City, Town or Village in the country, no matter how remote, and at the lowest prices. We deal in Solid Gold and Silver Watches only, and, when sent by Express, you can examine the Watch before paying the bill. Write for our Descriptive Price List, and mention the SCIENTIFIC AMERICAN. Address

**HOWARD & CO.,**  
No. 865 Broadway, New York.

OWNERS OF PATENTS AND OTHERS desiring to contract for the manufacture of Light Machinery, Sewing Machines, Sewing Machine Attachments, etc., etc., are requested to correspond with THE BRIDGEPORT MFG CO., Bridgeport, Conn. We refer, by permission, to The Wheeler & Wilson Manufacturing Company.

Just Published—Treatise on  
**WOOD WORKING MACHINERY,**  
With over one hundred plates and engravings of English, French, and American Machines.  
Send for circular to L. H. BERRY, No. 117 North 2nd St., Philadelphia, Sole Agent for the United States.

**WANTED**—Machine for upsetting thread ends of long bridge rods—so full strength of rods is retained after threads are cut. Capacity from one (1) inch to two and one half (2½) inches diameter. Send Photograph and Price to A. G. CARPENTER, Supt., King Iron Bridge Man'y and Iron Works, Iowa, Kansas.

**MANAHAN'S DIRECTORY OF PAPER MILLS.** Price \$3.  
Address THOS. MANAHAN, 22 Reade Street, New York.

**WANTED**—Machinery for manufacturing Cornstarch. Address O. W. MEYER, St. Louis, Mo.

**PATENT.**  
**VALUABLE PATENT FOR SALE.**  
LOCK BOX 22, CAMDEN, N. J.

**8100 SAVED IN LEARNING**  
**TELEGRAPHY**  
THE NONPAREIL TELEGRAPH APPARATUS  
Including Key, Sounder, Battery, Chemicals, Wire, also, an ELABORATE INSTRUCTION BOOKS 1. Get it and teach yourself. 1000 sold in 1872. Send for Circular. (P. O. Box 602.) F. L. POPE & CO., 194 Fulton St., N. Y.

**THE BAND SAW!**  
Its ORIGIN and HISTORY, with Engravings of the OLDEST MACHINE, sent gratis. Address RICHARDS, LON-  
GUE & KELLEY, 2nd St. (above Arch), Philadelphia.  
**"PUNCHING AND SHEARING" MACHINERY,**  
POWER AND HAND,  
ALWAYS READY FOR USE, EITHER AS A PUNCH OR SHEAR, WITHOUT CHANGE.

WE furnish a machine hot, will cut 1½-2 in. round or square, and punch 2 in. hole in inch iron, for \$1400; and one hot cuts 1½, 1¼, and 1½ inch round, punch one inch hole in half inch iron, for \$400.  
A large variety of Punching and Shearing Machinery always on hand.  
Address, for catalogue and prices,  
DOTY MANUFACTURING COMPANY,  
Janesville, Wis.

Over 15,000,000 square feet in use.  
**ASBESTOS ROOFING**

For steep or flat Roofs, in all climates, ASBESTOS ROOF COATING. For restoring old Tin, Lead, and Shingle Roofs, ASBESTOS BOILER FELTING. The best non-conductor, and the lightest and most economical covering for Steam Pipes, Boilers, Oil Stills, etc., whether heated or exposed to the weather.  
These materials are prepared ready for use, and can be easily applied by any one.  
ROOFING AND SHEATHING FELTS, ASBESTOS BOARD, ASBESTOS PAPER, ASBESTOS ASPHALTUM, &c.  
Send for Descriptive Pamphlets, Price Lists, Terms to Dealers, etc.  
H. W. JOHNS,  
(Established) New Orleans, 11 MAIDEN LANE, cor. GOLD STREET, New York.

**BUILDERS.** Send stamp for our new illustrated catalogue. A. J. BICK-  
NELL & CO., 21 Warren St., N. Y.

**TODD & RAFFERTY**, Manufacturers of Steam Engines, Boilers, Flax, Hemp, Tow Bagging, Rope, and Oakum Machinery. Steam Pumps and Governors always on hand. Also Agents for the New Haven Manufacturing Co.'s Machinery Tools. We invite special attention to our new, improved, Portable Steam Engines. Warehouses, 10 Barclay St. Works Paterson, N. J.

## A. S. CAMERON &amp; CO.,

ENGINEERS,  
Works, foot of East 3rd St., New York City.

**Steam Pumps,**  
Adapted to every possible duty.  
Send for a Price List.

**MICROSCOPES.**

For Scientific Investigations and the Entertainment of the Family Circle. Illustrated Price List sent free on application. MCALLISTER, Optician, 6 Nassau St., N. Y.

**Working Models**

And Experimental Machinery, Metal, or Wood, made to order by J. F. WERNER, 60 Center St., N. Y.

Damper Reg. Pat. Gage Cocks. Water Feed Reg's.  
Send for Circulars. MURRILL & KEIZER, Balt., Md.

## WINDOW GARDENING.

Free, Free! SEND FOR A SPECIMEN COPY.



**The Ladies' Floral Cabinet.**—A beautiful new Home Paper, devoted to Flowers, Window Gardening, and Pictorial Home Reading. Exquisitely illustrated. Specimen copies free to every flower-lover in the country. Only 25c. a year, and a package of Flower Seeds free. Club agents wanted to canvass every town.  
**Window Gardening.**—A new Book, superbly illustrated, devoted to culture of Plants, Bulbs, and Flowers for in-doors; the handsomest ever published. Price, \$1.50. Book-stores have it.  
**Every Woman Her Own Flower Gardener.** By Daisy Eyebright. A charming new Book on Flower and Out-door Gardening for Ladies. Price, 50c., or bound in cloth, \$1.  
**The Ladies' Cabinet Initial Note Paper,** rose or violet-tinted; your own initial. Superb novelty; handsome present; highly perfumed; attractive chromo on each box. Price, 25c. a box.  
**100 Papers at Club Rates.** Every paper, 25c. to 50c. less than full price. Send stamp for list.  
**The Horticulturist.**—A handsomely illustrated Magazine, devoted to Architecture, Flowers, Gardening, Fruits, and Cottages. On trial 3 months, 50c.; 6 months, \$1; 1 year, \$2.  
**Illustrated Prospectus and Premium List** of all the above free on receipt of stamp.

HENRY T. WILLIAMS, Proprietor,  
5 Beekman Street, New York

**MACHINISTS' TOOLS**

**NEW PATTERNS.**  
ENGINE LATHES, IRON PLANERS;  
RADIAL DRILLS, BORING MILLS;  
CAR WHEEL & AXLE MACHINERY, &c.  
NILES TOOL WORKS,  
Cincinnati, Ohio.

**FOR SHEATHING, PLASTERING, ROOFING, DRAFFING, AND CARPET LINING.**  
Samples and circulars sent free, by  
ROCK RIVER PAPER CO.,  
Chicago; or  
B. E. HALE & CO.,  
56 & 58 Park Place, N. Y.  
Sole Agents for Eastern States.



**CHAMPION SPRING MATTRESS**—The latest and best improvement. Do you want a healthy and comfortable bed? Here it is. The softest, cheapest, most popular, and durable Spring Bed in market. Sold by all leading dealers. No stock complete without it. Wholly composed of tenacious tempered steel springs, so united that the pressure is equally distributed. Easily moved or carried about the house. Can be lifted, turned, or rolled up like a blanket. Both sides alike. No frame, no wooden slats. May be used on floor without bedstead. No under bed required. Needs only half thickness of hair mattress. Warranted noiseless. Any sizes made to order. Send for pictorial circular. Retail price of double bed, \$12. Shipped by single bed or quantity, to all parts of the world. Liberal discount to the trade. F. C. BEACH & CO., Makers, 191 and 193 Duane Street, New York.

## PATENT COLD ROLLED SHAFTING.

The fact that this shafting has 75 per cent greater strength, a finer finish, and is truer to gauge, than any other in use, renders it undoubtedly the most economical. We are also the sole manufacturers of the CHAMBERLAIN COLLINS PAT. COUPLING, and furnish Pulleys, Hangers, etc., of the most approved styles. Price lists mailed on application to  
Try street, 3d and 3d avenues, Pittsburgh, Pa.  
JONES & LAUGHLIN,  
190 S. Canal St., Chicago.  
Stocks of this Shafting in store and for sale by  
FULLER, DANA & FITZ, Boston, Mass.  
GEO. PLACE & CO., 12 Chambers street, N. Y.  
FIERCE & WHALING, Milwaukee, Wis.

**ONE POUND OF TEETH SAWS**

EMERSON & CO. SAW WORKS.  
FORD & CO. BEAVER FALLS, PA.  
EMERSON'S PATENT  
EXTENSION TOOTH SAW  
PATENTED FEB 21 1872  
SEND FOR A DESCRIPTIVE PAMPHLET  
3,000,000 FEET OF LUMBER.

**MAHOGANY,**

ROSEWOOD, FRENCH WALNUT, SATIN WOOD, HUNGARIAN ASH, CEDAR, ETC.  
Large and Choice Stock Foreign and Domestic Woods, in VENEERS, BOARDS, AND PLANK.

Imported and Manufactured by  
GEORGE W. READ & CO.,  
179 & 173 Centre St., N. Y.  
Mill and Yard, 186 to 200 Lewis St., cor. 9th, E. H.  
Orders by mail promptly and faithfully executed.  
Send for Catalogue and Price List.

**MCNAB & HARBIN**

Manufacturing Co., Manufacturers of  
**BRASS COCKS**  
FOR STEAM, WATER AND GAS.  
WROUGHT IRON PIPE AND FITTINGS.  
Illustrated Catalogue and Price-list furnished on application.  
50 JOHN STREET NEW YORK.

**BEACH'S** Scroll Sawing Machine, Improved guaranteed the cheapest and best in use. Thirty days' trial given. Send for illustrated circular and price list. Address H. L. BEACH, 50 Fulton St., New York.

## THE TANITE CO.,

Inventors and Builders of Special Machinery connected with Emery Grinding.

Solid Emery Wheels, from 4 inch to 3 feet in diameter Emery Grinding Machines at \$15, \$20, \$30, \$50, and \$100. Stove Rosts, \$5. Diamond Tools, \$15. Special Tools and Machines made to order. SEND FOR ILLUSTRATED CATALOGUES AND PHOTOGRAPHS.

By means of extensive additions to their factory and Machinery, THE TANITE CO. are now (September, 1872) enabled to triple their former production, and to supply promptly their increasing demands for their celebrated and STANDARD MAKE OF GOODS. All Goods sold by THE TANITE CO. are made by them at their own Factory, under their own Patents and Processes.

THE TANITE CO.,  
Address  
Stroudsburg, Monroe Co., Pa.

**THE TANITE CO.'S**

EMERY WHEELS AND EMERY GRINDING MACHINES

Are kept in Stock, and sold at Factory Prices, by CHAMPLIN & ROGERS, 185 Fifth Avenue, Chicago. NILES TOOL WORKS, Cincinnati; C. E. INLORS & CO., Baltimore; J. F. JEWETT & CO., Mahoning; HAWKINS & DODGE, Newark, N. J.; and S. ANDREWS, Williamsport, Pa. C. BLACK & CO., Hamilton, Ont., Canada also keep these goods.

THE TANITE CO. have no Agencies in New York or New England.

THE TANITE CO. do not Exhibit or Compete at any Fair in the United States this Year.

**THE TANITE CO.'S**

GOODS are kept in Stock, and sold at Factory Prices, by CHAMPLIN & ROGERS, 185 Fifth Avenue, (Formerly Block) Chicago, who are also Exclusive Western Agents for the New York Tap and Die Co.'s goods, and Dealers in Railway, Mill, and Machinists' Supplies.

ISAAC S. CASSIN, Engineer, late Chief Engineer of the Philadelphia Water Works, No. 431 Race St., Philadelphia, Pa. Water Works constructed, Surveys and Estimates made, Drawings and Specifications, and all kinds of Hydraulic Machinery and materials furnished.

## Diamond Pointed STEAM DRILLS.

THE adoption of new and improved applications to the celebrated Leachot's patent, have made these drills more fully adaptable to every variety of ROCK DRILLING. Their unequalled efficiency and economy are acknowledged, both in this country and Europe. The Drills are built of various sizes and patterns; WITH AND WITHOUT BOILERS, and bore at a uniform rate, of THREE TO FIVE INCHES PER MINUTE in hard rock. They are adapted to CHANNELLING, GADDERING, SHAFTING, TUNNELLING, and open cut work; also, to DEEP BORING FOR TESTING THE VALUE OF MINES AND QUARRIES. TEST CORE taken out, showing the character of mines at any depth. Used either with steam or compressed air. Simple and durable in construction. Never need sharpening. Manufactured by

THE AMERICAN DIAMOND DRILL CO.,  
No. 51 Liberty St., New York

## Always Reliable.

Wright's Double-Acting Bucket-Plunger.

## STEAM PUMPS.

Made by the Valley Machine Co.

EASTHAMPTON, Mass.

GEORGE PAGE & CO., Manufacturers of

Portable and Stationary STEAM ENGINES AND BOILERS;

Patent Circular, Gang, Mule, and Sash

SAW MILLS, with OUTFITS COMPLETE,

combining all reliable improvements—Grist Mills; Shingle Machines; Wood Working and General Machinery.

Send for Descriptive Catalogues. Address No. 5 W Schroeder Street, Baltimore, Md.

KIDDER'S PASTILES—A Sure Relief for

Asthma. STOWELL & CO. Charlestown, Mass.

IRON PLANERS, ENGINE LATHES,

Drills, and other Machinists' Tools, of superior quality, on hand, and finishing. For sale low. For Description and Price address NEW HAVEN MANUFACTURING CO., New Haven, Conn.

IRON STEAMSHIP BUILDERS.

**Neafie & Levy,**

PENN WORKS,

MARINE ENGINES, BOILERS, AND BUILDERS OF COMPOUND ENGINES, PHILADELPHIA, PA.

KEEP YOUR BOILERS CLEAN.

**ANTI LAMINA**

prevents and removes scale in Steam Boilers—does not injure the iron. In use over five years.

J. J. ALLEN, Patentee, Philadelphia, Pa.

**Machinist's Tools,**

EXTRA HEAVY AND IMPROVED.

LUCIUS W. POND, MANUFACTURER

Worcester, Mass.

Warehouses, 90 Liberty Street, New York.

A. C. STEBBINS, Agent.

**WIRE ROPE.**

JOHN A. ROEBLING'S SONS.

MANUFACTURERS, TRENTON, N. J.

FOR Inclined Planes, Standing Ship Rigging,

Bridge, Ferries, Stays, or Guys on Derricks & Cranes,

Tiller Ropes, Sash Cords of Copper and Iron, Lightning Conductors of Copper, Special attention given to hoisting rope of all kinds for Mines and Elevators. Apply for circular, giving price and other information. Send for pamphlet on Transmission of Power by Wire Ropes. A large stock constantly on hand at New York Warehouse.

No. 117 Liberty Street.

THE "Scientific American" is printed with

CHAS. EXNEU JOHNSON & CO.'S LITH. Tenth and

Lombard sts., Philadelphia and 25 Gold St., New York.



